

Otjozondjupa Regional Council

BIDDING DOCUMENT

For

Procurement of Works

PROCUREMENT REFERENCE NO: W/RFQ/OTRC-07/2023/2024

PROCUREMENT DESCRIPTION:

Construction of the boundary wall at Erf 445 and 904 Regional Council plots and interlocking of walkway

Name of Bidder:
Contact Number of Bidder:
Email Address of Bidder:
Authorized Representative:
Total price:
Signature:

Closing Date & Time: 21st February 2024; 10h00

Procurement Management Unit Otjozondjupa Regional Council P.O. Box 1682 Otjiwarongo Namibia

Standard Bidding Document

Table of Contents

PART 1 – Bidding Procedures	
Section 1 - Instructions to Bidders	
Section IV - Evaluation Criteria	
	tract Forms
Section VI. General Conditions of Contrac	t
	t



Otjozondjupa Regional Council

Tel: 067-303702	P.O. Box 1682
Fax: 067-302760/302742	Otjiwarongo
	Namibia
Letter of	Invitation
PROCUREMENT REFERENCE NO: W/RFQ/OT	TRC-07/2023/2024
DESCRIPTION: CONSTRUCTION OF THE BO OF WALKWAY AT ERF 445 A	
The Otjozondjupa Regional Council invites you to su Boundary wall at Erf 445 and Erf 904 Regional Co described in detail in the bidding document hereunder	ouncil plots and interlocking of walkway, as
Please prepare and submit your quotation on or befo with the instructions given or inform the undersigned	re 21st February 2024, 10h00 in accordance if you will not be submitting a quotation.
Any resulting contract shall be subject to the term document.	as and conditions referred to in the bidding
Technical Queries, if any, should be addressed to Mr sshidhika@otjozondjuparc.gov.na	. S. Shidhika via email to
Administration Queries, if any, should be addressed to lmwazi@otjozondjuparc.gov.na	o Ms. L. Mwazi via email to
Yours Faithfully	
MRS S.M.K. TUAHUKU	

HEAD: PROCUREMENT MANAGEMENT UNIT.

SECTION I: INSTRUCTIONS TO BIDDERS

1. Rights of Public Entity

Otjozondjupa Regional Council

(a) have the right to accept or reject any quotation or to cancel the quotation process and reject all quotations at any time prior to contract award.

2. Preparation of Quotations

You are requested to quote for the works mentioned in Section III, by completing, signing and returning:

- (a) the Quotation Letter in Section II with its annexure for Bid Securing Declaration;
- (b) the Priced Activity Schedule in Section IV;
- (c) the Specifications and Compliance Sheet in Section V; and
- (d) any other attachment as deemed appropriate

You are also advised to carefully read the complete Request for Quotations document, including the Special Conditions of Contract in Section VII, before preparing your Quotation.

3. Validity of Quotations

The quotation validity period shall be 60 days from the date of bid submission deadline.

4. Eligibility Criteria

To be eligible to participate in this Quotation exercise, you should:

- (a) have a valid certified copy of Founding Statement for any of the followings:
 - i. an entity incorporated or registered under the company or close corporation laws
 in Namibia;
 - ii. co-operative registered under the laws regulating co-operatives in Namibia;
 - iii. document serving as of registration as a Trust and Trust deed for a trust registered under laws regulating trusts in Namibia;
- (b) have valid original or certified copy of Good Standing Tax Certificate;
- (c) have valid original or certified copy of Good Standing Social Security Certificate;
- (d) have a valid certified copy of Affirmative Action Compliance Certificate or proof from Employment Equity Commissioner that bidder is not a relevant employer or exemption issued in terms of Section 42 of the Affirmative Action Act, 1998;
- (e) have or sign a written undertaking as contemplated in section 138(2) of the Labour Act, 2007;
- (f) have or sign a written undertaking as contemplated in section 138(2) of the Labour Act, 2007
- (g) Sign the Bid Securing Declaration;
- (h) Complete document in full
- (i) Civil Trade Qualifications of owner or employees
- (j) Sign all pages where applicable and initial the whole document;

- (k) Have a certificate indicating SME Status;
- (1) One bidding document per bidder including partnership;
- (m) Certified copy of owner or owners/ bidder Identification Document;
- (n) Bank rating letter with C or better rating;
- (o) Reference letter for similar work of the same magnitude done in the past.

5. Bid Security/Bid Securing Declaration

Bidders are required to sign a bid security declaration form

6. Works Completion Period/Validity period of Quotation

The validity period of the quotation is **60 days** and the completion period for works shall be **60 days** after acceptance and issue of Purchase Order and the signing of contract agreement. Deviation in completion period shall not be accepted but shall be considered if such deviation is reasonable.

7. Sealing and Marking of Quotations

Quotations should be sealed in a single envelope, clearly marked with the Procurement Reference Number, addressed to the Otjozondjupa Regional Council with the Bidder's name and contact details at the back of the envelope.

8. Submission of Quotations

Bid must be registered in the register provided by Council before deposited in the bid box, located at Otjozondjupa Regional Council's Head Quarters at 22 Henk Willems Street, Otjiwarongo; Ground Floor-Block B not later than 10h00 on 21st February 2024.

Please take note: Late quotations will be rejected.

9. Opening of Quotations

Quotations will be opened internally immediately after the closing time referred to in section 8 above. A record of the Quotation Opening stating the name of the bidders, the amount quoted will be posted on the website of **Otjozondjupa Regional Council** and available to any bidder on request within three working days of the Opening.

10. Evaluation of Quotations

Otjozondjupa Regional Council' shall have the right to request for clarifications in writing during evaluation. Offers that are substantially responsive shall be compared on the basis of evaluated cost, to determine the most substantially responsive evaluated quotation.

11. Technical Compliance

The Specifications and Compliance Sheet details the minimum specifications of the works to be carried out. The specifications have to be met, but no credit will be given for exceeding the specifications.

12. Prices and Currency of Payment

Prices for the execution of works shall be fixed in Namibian Dollars as quoted.

Quotations shall cover all costs of labour, materials, equipment, overheads, profits and all associated costs for performing the works, and shall include all duties. The whole cost of performing the works shall be included in the items stated, and the cost of any incidental works shall be deemed to be included in the prices quoted.

13. Margin of Preference

None

14. Award of Contract

The Bidder having submitted the substantial responsive bid shall be selected for award of contract. Award of contract shall be by issue of a Contract Agreement and Letter of Acceptance in accordance with terms and conditions contained in Section VI: Contract Agreement and General Conditions of Contract.

15. Notification of Award and Debriefing

Otjozondjupa Regional Council shall after award of contract promptly inform all unsuccessful bidders in writing of the name and address of the successful bidder and the contract amount and post a notice of award on its website within 7 days. Furthermore, the Public Entity shall attend to all requests for debriefing made in writing within 7 days of the unsuccessful bidders being informed of the award.

16. Payment terms

The Employer undertakes to effect payment within 30 days after completion of the services to the satisfaction of the Client subject to the Service Provider submitting all required documents to initiate the payment. Final payment shall be adjusted to reflect any noncompliance in the execution of the contract.

SECTION II: QUOTATION LETTER

(to be completed by Bidders)

[Complete this form with all the requested details and submit it as the first page of your quotation with the Priced Activity Schedule and documents requested above. A signature and authorisation on this form will confirm that the terms and conditions of the RFQ prevail over any attachments. If your quotation is not authorised, it will be rejected

Quotation Addressed to:	Otjozondjupa Regional Council				
Procurement Reference Number:	W/RFQ/OTRC-07/2023/2024				
Subject matter of Procurement:	Construction of the boundary wall and interlocking of walkway at Erf 445 and 904				
I/We offer to execute the Works deta terms and conditions stated in your Re	iled in the Statement of Requirements, in accordance with the quest for Sealed Quotations referenced above.				
I/We confirm that we are eligible to criteria specified in Section 1: Instruct	participate in this Quotation exercise and meet the eligibilit ons to Bidders				
	aduct of Bidders and Suppliers as provided under the Publicant process and the execution of any resulting contract.				
attached hereto and subscribe fully	content of the Bid Security/Bid Securing Declaration (BSD to the terms and conditions contained therein. I/We further lead to the disqualification on the grounds mentioned in the				
The validity period of our Quotation is bid submission deadline.	s days [insert number of days] from the date of the				
	the Priced Activity Schedule are fixed and firm and will not be are awarded the contract prior to the expiry date of the				
Works will commence within Order/ Letter of Acceptance and signing	[insert number] days from date of issue of Purchas g the contract agreement.				
Quotation Authorised by:					
Name of Bidder	Company's Address and seal				
Contact Person					
Name of Person Authorising the Quotati	on: Position: Signature:				

Phone No./E-mail

Date

Appendix to Quotation Letter

BID SECURING DECLARATION (Section 45 of Act) (Regulation

37(1) (b) and 37(5))

Date:
Procurement Ref No. W/RFQ/OTRC-07/2023/2024
To: Otjozondjupa Regional Council
I/We* understand that in terms of section 45 of the Act a public entity must include in the bidding document the requirement for a declaration as an alternative form of bid security.
I/We* accept that under section 45 of the Act, I/we* may be suspended or disqualified in the event of
(a) a modification or withdrawal of a bid after the deadline for submission of bids during the period of validity;
(b) refusal by a bidder to accept a correction of an error appearing on the face of a bid;
(c) failure to sign a procurement contract in accordance with the terms and conditions set forth in the bidding document, should I/We* be successful bidder; or
(d) failure to provide security for the performance of the procurement contract if required to do so by the bidding document.
I/We* understand this bid securing declaration ceases to be valid if I am/We are* not the successful Bidder
Signed:
[indicate legal capacity of person(s) signing the Bid Securing Declaration]
Name:
Duly authorized to sign the bid for and on behalf of: [insert complete name of Bidder]
Dated on day of [insert date of signing]
Corporate Seal (where appropriate) [Note*: In case of a joint venture, the bid securing declaration must be in the name of all partners to the joint venture that submits the bid or a dully authorised assigned member/partner of that close corporation]

8 | Page



Republic of Namibia

Ministry of Labour, Industrial Relations and Employment Creation

Witten undertaking in terms of section 138 of the Labour Act, 2015 and section 50(2)(d) of the Public Procurement Act, 2015

1. EMPLOYER'S DETAILS

Company Trade Name
Registration Number
Vat Number:
Industry/Sector:
Place of Business
Physical Address
Tell No
Fax No
Email Address
Postal Address.
Full name of Owner/Accounting Officer.
Email Address

2. PROCUREMENT DETAILS
Procurement Reference No
Procurement Description:
Anticipated Contract Duration:
Location where work will be done, good/services will be delivered: Otjiwarongo
3. UNDERTAKING
I
of
hereby undertake in writing that my company will at all relevant times comply fully with the relevant provisions of the Labour Act and the Terms and Conditions of Collective Agreements as applicable.
I am fully aware that failure to abide to such shall lead to the action as stipulated in section 138 of the labour Act, 2007, which include but not limited to the cancellation of the contract/licence/grant/permit or concession.
Signature:
Date:
Seal

Please take note:

1. A labour inspector may conduct unannounced inspections to assess the level of compliance

2. This undertaking must be displayed at the workplace where it will be readily accessible and visible by the employees rendering service(s) in relations to the goods and services being procured under this contract.

SECTION IV: PRICED ACTIVITY SCHEDULE

Procurement Reference Number: W/RFQ/OTRC-07/2023/2024

(all widths and heights) 2. REMOVAL OF EXISTING GATES (new gates elsewhere) Removal existing double gates(all widths and heights) 3. EXCAVATION IN EARTH NOT EXCEEDING IM DEEP 3.1 Trenches and holes 5.2.0 m³ 4. SOIL POISONING 4.1 Soil insecticide to bottoms of trenches, holes, etc. 5. 20MPa/19mm CONCRETE 5.1 Footings, bases and ground beams 6. BRICKWORK OF 7MPa CEMENT BRICKS IN CLASS I MORTAR 5.1 One brick wall 7. BRICKWORK OF 7MPa CEMENT BRICKS IN CLASS II MORTAR 7.1 One brick wall 8. GALVANISED BRICK REINFORCEMENT 8.1 150mm wide reinforcement built in horizontally (extra for brick lintols or banks) 9. GALVINISED HOOP IRON TIES 9.1 1.6mm Galvanised hoop iron tie 30mm wide and 600mm girth shot fixed to concrete and built into brickwork 10. ONE LAYER OF APPROVED 375 MICRON EMBOSSED DAMP PROOF COURSE	AMOUNT	UNIT OF RATE	UNIT MEASURE	QTY	DESCRIPTION
(all widths and heights) 2. REMOVAL OF EXISTING GATES (new gates elsewhere) Removal existing double gates(all widths and heights) 3. EXCAVATION IN EARTH NOT EXCEEDING IM DEEP 3.1 Trenches and holes 4. SOIL POISONING 4. SOIL POISONING 4.1 Soil insecticide to bottoms of trenches, holes, etc. 5. 20MPa/19mm CONCRETE 5.1 Footings, bases and ground beams 6. BRICKWORK OF 7MPa CEMENT BRICKS IN CLASS I MORTAR 6.1 One brick wall 7. BRICKWORK OF 7MPa CEMENT BRICKS IN CLASS II MORTAR 7.1 One brick wall 8. GALVANISED BRICK REINFORCEMENT 8.1 150mm wide reinforcement built in horizontally (extra for brick lintols or banks) 9. GALVINISED HOOP IRON TIES 9.1 1.6mm Galvanised hoop iron tie 30mm wide and 600mm girth shot fixed to concrete and built into brickwork 10. ONE LAYER OF APPROVED 375 MICRON EMBOSSED DAMP PROOF COURSE 0.1 In walls (110 mm and 220mm wide) 24.0 m²			here)	ates elsew	REMOVAL OF EXISTING GATES (new ga
Removal existing double gates(all widths and heights) 3. EXCAVATION IN EARTH NOT EXCEEDING IM DEEP 3.1 Trenches and holes 52.0 m³ 4. SOIL POISONING 4.1 Soil insecticide to bottoms of trenches, holes, etc. 5. 20MPa/19mm CONCRETE 5.1 Footings, bases and ground beams 19.0 m³ 6. BRICKWORK OF 7MPa CEMENT BRICKS IN CLASS I MORTAR 6.1 One brick wall 48.0 m² 7. BRICKWORK OF 7MPa CEMENT BRICKS IN CLASS II MORTAR 7.1 One brick wall 191.0 m² 8. GALVANISED BRICK REINFORCEMENT 8.1 150mm wide reinforcement built in horizontally (extra for brick lintols or banks) 9. GALVINISED HOOP IRON TIES 9.1 1.6mm Galvanised hoop iron tie 30mm wide and 600mm girth shot fixed to concrete and built into brickwork 10. ONE LAYER OF APPROVED 375 MICRON EMBOSSED DAMP PROOF COURSE 10.1 In walls (110 mm and 220mm wide) 24.0 m²			No	1.0	
2.1 and heights) 3. EXCAVATION IN EARTH NOT EXCEEDING IM DEEP 3.1 Trenches and holes 52.0 m³ 4. SOIL POISONING 4.1 Soil insecticide to bottoms of trenches, holes, etc. 5. 20MPa/19mm CONCRETE 5.1 Footings, bases and ground beams 6. BRICKWORK OF 7MPa CEMENT BRICKS IN CLASS I MORTAR 6.1 One brick wall 7. BRICKWORK OF 7MPa CEMENT BRICKS IN CLASS II MORTAR 7.1 One brick wall 8. GALVANISED BRICK REINFORCEMENT 8.1 150mm wide reinforcement built in horizontally (extra for brick lintols or banks) 9. GALVINISED HOOP IRON TIES 9.1 1.6mm Galvanised hoop iron tie 30mm wide and 600mm girth shot fixed to concrete and built in brickwork 10. ONE LAYER OF APPROVED 375 MICRON EMBOSSED DAMP PROOF COURSE 10.1 In walls (110 mm and 220mm wide) 2.4.0 m²			here)	ates elsew	REMOVAL OF EXISTING GATES (new ga
3. EXCAVATION IN EARTH NOT EXCEEDING IM DEEP 3.1 Trenches and holes 52.0 m³ 4. SOIL POISONING 4.1 Soil insecticide to bottoms of trenches, holes, etc. 5. 20MPa/19mm CONCRETE 5.1 Footings, bases and ground beams 19.0 m³ 6. BRICKWORK OF 7MPa CEMENT BRICKS IN CLASS 1 MORTAR 6.1 One brick wall 48.0 m² 7. BRICKWORK OF 7MPa CEMENT BRICKS IN CLASS II MORTAR 7.1 One brick wall 191.0 m² 8. GALVANISED BRICK REINFORCEMENT 8.1 150mm wide reinforcement built in horizontally (extra for brick lintols or banks) 9. GALVINISED HOOP IRON TIES 9.1 1.6mm Galvanised hoop iron tie 30mm wide and 600mm girth shot fixed to concrete and built in brickwork 10. ONE LAYER OF APPROVED 375 MICRON EMBOSSED DAMP PROOF COURSE 10.1 In walls (110 mm and 220mm wide) 24.0 m²			No	1.0	
4. SOIL POISONING 4.1 Soil insecticide to bottoms of trenches, holes, etc. 5. 20MPa/19mm CONCRETE 5.1 Footings, bases and ground beams 6. BRICKWORK OF 7MPa CEMENT BRICKS IN CLASS 1 MORTAR 6.1 One brick wall 7. BRICKWORK OF 7MPa CEMENT BRICKS IN CLASS II MORTAR 7.1 One brick wall 8. GALVANISED BRICK REINFORCEMENT 8.1 150mm wide reinforcement built in horizontally (extra for brick lintols or banks) 9. GALVINISED HOOP IRON TIES 9.1 1.6mm Galvanised hoop iron tie 30mm wide and 600mm girth shot fixed to concrete and built into brickwork 10. ONE LAYER OF APPROVED 375 MICRON EMBOSSED DAMP PROOF COURSE 10.1 In walls (110 mm and 220mm wide) 24.0 m²				ING 1M I	EXCAVATION IN EARTH NOT EXCEED
4.1 Soil insecticide to bottoms of trenches, holes, etc. 5. 20MPa/19mm CONCRETE 5.1 Footings, bases and ground beams 6. BRICKWORK OF 7MPa CEMENT BRICKS IN CLASS 1 MORTAR 6.1 One brick wall 7. BRICKWORK OF 7MPa CEMENT BRICKS IN CLASS II MORTAR 7.1 One brick wall 8. GALVANISED BRICK REINFORCEMENT 8.1 150mm wide reinforcement built in horizontally (extra for brick lintols or banks) 9. GALVINISED HOOP IRON TIES 9.1 1.6mm Galvanised hoop iron tie 30mm wide and 600mm girth shot fixed to concrete and built in to brickwork 10. ONE LAYER OF APPROVED 375 MICRON EMBOSSED DAMP PROOF COURSE 10.1 In walls (110 mm and 220mm wide) 24.0 m²			m³	52.0	Trenches and holes
holes, etc. 5. 20MPa/19mm CONCRETE 5.1 Footings, bases and ground beams 19.0 m³ 6. BRICKWORK OF 7MPa CEMENT BRICKS IN CLASS 1 MORTAR 6.1 One brick wall 48.0 m² 7. BRICKWORK OF 7MPa CEMENT BRICKS IN CLASS II MORTAR 7.1 One brick wall 191.0 m² 8. GALVANISED BRICK REINFORCEMENT 8.1 150mm wide reinforcement built in horizontally (extra for brick lintols or banks) 9. GALVINISED HOOP IRON TIES 9.1 1.6mm Galvanised hoop iron tie 30mm wide and 600mm girth shot fixed to concrete and built into brickwork 10. ONE LAYER OF APPROVED 375 MICRON EMBOSSED DAMP PROOF COURSE 10.1 In walls (110 mm and 220mm wide) 24.0 m²					SOIL POISONING
6. BRICKWORK OF 7MPa CEMENT BRICKS IN CLASS 1 MORTAR 6.1 One brick wall 7. BRICKWORK OF 7MPa CEMENT BRICKS IN CLASS II MORTAR 7.1 One brick wall 8. GALVANISED BRICK REINFORCEMENT 8.1 150mm wide reinforcement built in horizontally (extra for brick lintols or banks) 9. GALVINISED HOOP IRON TIES 9.1 1.6mm Galvanised hoop iron tie 30mm wide and 600mm girth shot fixed to concrete and built into brickwork 10. ONE LAYER OF APPROVED 375 MICRON EMBOSSED DAMP PROOF COURSE 10.1 In walls (110 mm and 220mm wide) 24.0 m²			m²	75.0	
6. BRICKWORK OF 7MPa CEMENT BRICKS IN CLASS 1 MORTAR 6.1 One brick wall 48.0 m² 7. BRICKWORK OF 7MPa CEMENT BRICKS IN CLASS II MORTAR 7.1 One brick wall 191.0 m² 8. GALVANISED BRICK REINFORCEMENT 8.1 150mm wide reinforcement built in horizontally (extra for brick lintols or banks) 9. GALVINISED HOOP IRON TIES 9.1 1.6mm Galvanised hoop iron tie 30mm wide and 600mm girth shot fixed to concrete and built into brickwork 10. ONE LAYER OF APPROVED 375 MICRON EMBOSSED DAMP PROOF COURSE 10.1 In walls (110 mm and 220mm wide) 24.0 m²					20MPa/19mm CONCRETE
7. BRICKWORK OF 7MPa CEMENT BRICKS IN CLASS II MORTAR 7.1 One brick wall 8. GALVANISED BRICK REINFORCEMENT 8.1 150mm wide reinforcement built in horizontally (extra for brick lintols or banks) 9. GALVINISED HOOP IRON TIES 9.1 1.6mm Galvanised hoop iron tie 30mm wide and 600mm girth shot fixed to concrete and built into brickwork 10. ONE LAYER OF APPROVED 375 MICRON EMBOSSED DAMP PROOF COURSE 10.1 In walls (110 mm and 220mm wide) 24.0 m²			m³	19.0	Footings, bases and ground beams
7. BRICKWORK OF 7MPa CEMENT BRICKS IN CLASS II MORTAR 7.1 One brick wall 8. GALVANISED BRICK REINFORCEMENT 8.1 150mm wide reinforcement built in horizontally (extra for brick lintols or banks) 9. GALVINISED HOOP IRON TIES 9.1 1.6mm Galvanised hoop iron tie 30mm wide and 600mm girth shot fixed to concrete and built into brickwork 10. ONE LAYER OF APPROVED 375 MICRON EMBOSSED DAMP PROOF COURSE 10.1 In walls (110 mm and 220mm wide) 24.0 m ²		2	ASS 1 MORTAR	S IN CLA	BRICKWORK OF 7MPa CEMENT BRICK
7.1 One brick wall 8. GALVANISED BRICK REINFORCEMENT 8.1 150mm wide reinforcement built in horizontally (extra for brick lintols or banks) 9. GALVINISED HOOP IRON TIES 9.1 1.6mm Galvanised hoop iron tie 30mm wide and 600mm girth shot fixed to concrete and built into brickwork 10. ONE LAYER OF APPROVED 375 MICRON EMBOSSED DAMP PROOF COURSE 10.1 In walls (110 mm and 220mm wide) 24.0 m²			m ²	48.0	One brick wall
8. GALVANISED BRICK REINFORCEMENT 8.1 150mm wide reinforcement built in horizontally (extra for brick lintols or banks) 9. GALVINISED HOOP IRON TIES 9.1 1.6mm Galvanised hoop iron tie 30mm wide and 600mm girth shot fixed to concrete and built into brickwork 10. ONE LAYER OF APPROVED 375 MICRON EMBOSSED DAMP PROOF COURSE 10.1 In walls (110 mm and 220mm wide) 24.0 m ²		R	ASS II MORTAI	S IN CLA	BRICKWORK OF 7MPa CEMENT BRICK
8.1 150mm wide reinforcement built in horizontally (extra for brick lintols or banks) 9. GALVINISED HOOP IRON TIES 9.1 1.6mm Galvanised hoop iron tie 30mm wide and 600mm girth shot fixed to concrete and built into brickwork 10. ONE LAYER OF APPROVED 375 MICRON EMBOSSED DAMP PROOF COURSE 10.1 In walls (110 mm and 220mm wide) 24.0 m ²			m ²	191.0	One brick wall
horizontally (extra for brick lintols or banks) 9. GALVINISED HOOP IRON TIES 9.1 1.6mm Galvanised hoop iron tie 30mm wide and 600mm girth shot fixed to concrete and built into brickwork 10. ONE LAYER OF APPROVED 375 MICRON EMBOSSED DAMP PROOF COURSE 10.1 In walls (110 mm and 220mm wide) 24.0 m ²				Г	GALVANISED BRICK REINFORCEMENT
1.6mm Galvanised hoop iron tie 30mm wide and 600mm girth shot fixed to concrete and built into brickwork 10. ONE LAYER OF APPROVED 375 MICRON EMBOSSED DAMP PROOF COURSE 10.1 In walls (110 mm and 220mm wide) 24.0 m ²			m²	875.0	
and 600mm girth shot fixed to concrete and built into brickwork 10. ONE LAYER OF APPROVED 375 MICRON EMBOSSED DAMP PROOF COURSE 10.1 In walls (110 mm and 220mm wide) 24.0 m ²					GALVINISED HOOP IRON TIES
10.1 In walls (110 mm and 220mm wide) 24.0 m ²			No.	2.0	and 600mm girth shot fixed to concrete and
	E	ROOF COURS	SSED DAMP PR	N EMBOS	ONE LAYER OF APPROVED 375 MICRO
11. ONE LAYER OF APPROVED 250 MICRON UNDER SURFACE RED TYPE WATE			m ²	24.0	In walls (110 mm and 220mm wide)
SHEETING SEALED AT LAPS WITH PRESSURE SENSITIVE TAPE	ERPROOF	D TYPE WAT	SURFACE BE ENSITIVE TAP	N UNDER	ONE LAYER OF APPROVED 250 MICROSHEETING SEALED AT LAPS WITH PRE
11.1 Under surface beds, aprons, etc. 161.9 m ²					

12.1	100x75mm Brass butt hinge with brass pin and nylon washers	4.0	No	
13.	MORTICE LOCKS			
13.1	55mm Solid hardened 6-pin steel padlock	4.0	No.	
14.	COMMERCIAL QUALITY MILD STEEL	PLATES		
14.1	10mm Diameter mid steel solid round bars	20.0	Kg	
15.	COMMERCIAL QUALITY MILD STEEL	PLATES		
15.1	Flats bars generally	3.5	Kg	
16.	COMMERCIAL QUALITY MILD STEEL	PLATES		
16.1	Angle section purlins, braces, struts, etc.	50.0	Kg	
17.	COMMERCIAL QUALITY MILD STEEL	PLATES		
17.1	Rectangular or square hollow section pots or columns	330.0	m²	
18.	VASTRAP CHEQUER PLATE FLOORING	3		
18.1	3mm plates cut to varying shapes and sizes	18.0	m²	
19.	GATE MODEL 80 ROLLER			
19.1	Gate model 80 roller kit-set	2.0	No	
20.	ONE COAT CEMENT PLASTER WOOD I	FLOATE	D ON CONCRETE T	0
20.1	Walls	385.0	m²	
21.	FIRE APPLIANCES WORK		'	
21.1	110mm Pipes laid in ground in trenches	12.0	m	
22.	ETCH SCREEDED SURFACE WITH 10%			LORIC ACID AND
22.1	WATER AND TWO FULL COATS STOEP			
	On external smooth plastered walls	385.0	m ²	DATA DATAM
23.1	WASH WITH METAL CONDITIONER AN			PVA PAINT
23.1	On gates, grilles, burglar screens, balustrates, etc.(both sides measured flat)	35.0	m²	
24.	CUTTING DOWN AND REMOVING, GRU	JPPING	UP ROOTS AND FIL	LING IN HOLES
24.1	Digging up and removing rubbish, debris,	421.4	m²	
	vegetation, hedges, shrubs and trees not			
	exceeding 200mm girth, bush, etc.			
	TRIMMING AND REMOVAL OF TREE B			
25.1	Tree exceeding 500mm and not exceeding 1000mm girth	5.0	No	
26.	EARTH FILLING SUPPLIED BY THE CO	NTRAC	ГOR	
26.1	Compaction of ground surface under paving etc. including scarifying for a depth of 150mm, breaking down oversize	161.9	m²	
27	SOIL POISONING			
27.1	Sub-base course of G5 material under roads,	20.0	m³	
27.1	pavings, etc. of approved granular material compacted to 95% Mod AASHTO	20.0	m³	
28.	PRECAST CONCRETE GARDEN KERBS CONCRETE HAUNTING AT BACK OF EA			REINFORCED

PAINTWORK Barrier road kerb size 300				
Barrier road kerb size 300				
	x 150mm high	40.0	m	
CONCRETE EDGE BEAL	MS			
and not exceeding 2400mm	n high complete	102.0	m	
GATES IN SECURITY FI	ENCE			
		100.0	m	
	SUB TOTAL			
	CONTIGENC	IES 10%)	
Enter 0% VAT rate if VAT exempt.	VAT 15%			
	TOTAL AMO	UNT		
	Remove existing fence exceeding 2400mm with all droppers, stays, por GATES IN SECURITY FIExtra over for Razor Coll to fencing in lieu of four rows. Enter 0% VAT rate if	Remove existing fence exceeding 1200mm and not exceeding 2400mm high complete with all droppers, stays, posts, gates, etc. GATES IN SECURITY FENCE Extra over for Razor Coll to top of security fencing in lieu of four rows of barbed wire SUB TOTAL CONTIGENC Enter 0% VAT rate if VAT 15%	Remove existing fence exceeding 1200mm and not exceeding 2400mm high complete with all droppers, stays, posts, gates, etc. GATES IN SECURITY FENCE Extra over for Razor Coll to top of security fencing in lieu of four rows of barbed wire SUB TOTAL CONTIGENCIES 10% Enter 0% VAT rate if VAT 15%	Remove existing fence exceeding 1200mm and not exceeding 2400mm high complete with all droppers, stays, posts, gates, etc. GATES IN SECURITY FENCE Extra over for Razor Coll to top of security fencing in lieu of four rows of barbed wire SUB TOTAL CONTIGENCIES 10% Enter 0% VAT rate if VAT 15% VAT exempt.

SECTION V: GENERAL CONDITIONS OF CONTRACT AND CONTRACT AGREEMENT

Any resulting contract shall be placed by means of a Purchase Order/Letter of Acceptance and shall be subject to the General Conditions of Contract (GCC) for the Procurement of Goods available on the website of the Public Entity except where modified by the Special Conditions below.

SECTION VI: SPECIAL CONDITIONS OF CONTRACT

The clause numbers given in the first column correspond to the relevant clause number of the General Conditions of Contract. [This section is to be customised by the Public Entity to suit the requirements of the specific procurement].

GCC Clause Reference	Special Conditions
Employer GCC 1.1(r)	Otjozondjupa Regional Council
Intended Completion Date GCC	The intended completion date is: To be discussed during side handover
Project Manager GCC 1.1(y)	The Project Manager is: Ms. L. Mwazi
Site GCC 1.1(aa)	The Site is located at: Otjiwarongo
Start Date GCC 1.1(dd)	The Start Date shall be: Two weeks after signing of Contract Agreement
The Works GCC 1.1(hh)	The Works consist of: Construction of boundary wall at Erf 445 and Erf 904
Interpretation GCC 2.2	The project will be completed in the following sections: As a whole once off project. NB! Contingencies to be claimed must be verified and certified correct by the Project Manager with a Quotation before it is paid.
Interpretation GCC2.3	The threshold amount of the project will be determined by the Employer 15% under or above the threshold amount will be the most responsive amount during the evaluation.
Language and Law GCC 3.1	The language of the contract is: English The law that applies to the Contract is the law of: Namibia .
Project Manager's Decisions 4.1	The Project Manager shall obtain specific approval from the Employer before carrying out any duty under the Contract which in the Project Manager's opinion will cause the amount finally due under the Contract to exceed the Contract Price or will give entitlement to extension of time. This requirement shall be waived in an emergency affecting safety of personnel or the Works or adjacent property.
Delegation GCC 5.1	The Project Manager may delegate his/her duties.

GCC Clause Reference	Special Conditions					
Notices GCC 6	Any notice shall be sent to the following addresses: For the Employer, the address shall be as given on page 2 of this Bidding Document and the contact name shall be: Ms. L. Mwazi or Mr. Shidhika For the Contractor, the address shall be as given on the first page of the Purchase Order/Letter of Acceptance and the contact name shall be					
Insurance GCC 13.1	Except for the cover mentioned in (d)(i) hereunder, the other insurance covers shall be in the joint names of the Contractor and the Employer and the minimum insurance amounts shall be: (a) for the Works, Plant and Materials: (for the full amount of the works including removal of debris, professional fee etc) (b) for loss or damage to Equipment: (for the replacement value of the equipment that the contractor intends to use on site until the taking over by the Employer. (c) for loss or damage to property (except the Works, Plant, Materials, and Equipment) in connection with Contract for an amount representing the value of the properties that are exposed to the action of the contractor in the execution of the works. It will extend to the property of the Procuring Entity as well). (d) for personal injury or death: (i) of the Contractor's employees: [The Contractor shall take an adequate insurance cover for its employees for any claim arising in the execution of the works]. (ii) of other people: [This cover shall be for an adequate amount for Third Party extended to the Employer and its representatives]. (e) for loss or damage to materials on-site and for which payment have been included in the Interim Payment Certificate, where applicable. The Contractor shall choose to take the insurance covers indicated above as separate covers or a combination of the Contractor's All Risks coupled with the Employer's liability and First Loss Burglary, after approval of the Employer. All insurance covers shall be of nil or the minimum possible deductibles at sole					
Site Date GCC 14.1	expense of the contractor. The Site Date shall be discussed: After signing of Contract Agreement					
Possession of the Site GCC 20.1	The Site Possession Date shall be: one week after signing of Contract Agreement.					
Procedure for Disputes	No Adjudicator shall be appointed under the contract and arbitration shall not					

GCC Clause Reference	Special Conditions apply. If any dispute arises between the Employer and the Contractor in connection with or arising out of the Contract, the parties shall seek to resolve any such dispute by amicable agreement. If the parties fail to resolve such dispute by amicable agreement, within 14 days after one party has notified the other in writing of the dispute, then the dispute shall be referred to court by either party.		
GCC 24			
Program GCC 25.1	Work program: applicable		
GCC 25.3	Program updates shall not be required for this project.		
Defects Liability Period GCC 33.1	The Defects Liability Period is: Twelve months after completion date		
Payment Certificates GCC 39.7	"A single statement of the estimated value of the work executed shall be submitted on completion of the Works. The Project Manager shall check the statement and certify the amount to be paid to the Contractor".		
Payments GCC 40	The amount certified by the Project Manager shall be paid in full within 30 days of receipt by the Employer of an invoice, supported by: (a) the payment certificate; and (b) a certificate of Completion of the Works.		
Adverse weather Conditions GCC 41.1 (I)	Acts of God will on be define as adverse weather that is floods, lightning strikes and heavy storms		
Price Adjustment GCC 44.	The Contract is not subject to price adjustment.		
Retention GCC 45.	(i) 5% of Contract amount shall be retained as Retention for a period of Twelve Months after Completion of project		
Liquidated Damages GCC 46.1	The liquidated damages for the whole of the Works are: N/A		
Bonus GCC 47.1	The rate for the Bonus per calendar day is: N\$ 0.00		
Advance Payment GCC 48.1	No Progress payment shall be made during the renovation		
Performance Security GCC 49.1	(i) No Performance Security is required		
GCC 56.1	"As built" drawings or operating and maintenance manuals are not required.		
GCC 59.1	The percentage to apply to the value of the work not completed, representing the Employer's additional cost for completing the Works, is: N/A		

QUOTATION CHECKLIST SCHEDULE

[Public Entity to update this Checklist to ensure that it contains the documents required from Bidders for the specific procurement]

Procurement Reference No.: W/RFQ/OTRC-07/2023/2024

	Description	Attached	Not Attached
Quotation letter			
Priced Activity Sch	nedules		
Specification and C	Compliance Sheet		
Bid Securing Decla	ration		
have a valid certific	ed copy of company Registration Certificate		
have a valid origina	al or certified good Standing Tax Certificate		
have a valid origina	al or certified good Standing Social Security		
Certificate, proof fi bidder is not a relev	ed copy of Affirmative Action Compliance rom Employment Equity Commissioner that vant employer, or exemption issued in terms e Affirmative Action Act, 1998		
have a certificate i	ndicating SME Status (for Bids reserved for		
Owner/Owners Ide	entification document attached		

Disclaimer: The list defined above is meant to assist the Bidder in submitting the relevant documents and shall not be a ground for the bidder to justify its non-submission of major documents for its quotation to be responsive. The onus remains on the Bidder to ascertain that it has submitted all the documents that have been requested and are needed for its submission to be complete and responsive