



Otjozondjupa Regional Council



BIDDING DOCUMENT

For

Procurement of Works

PROCUREMENT REFERENCE NO: W/RFQ/OTRCMT-01/2024/2025

DESCRIPTION:

MINOR REPAIRS OF BM 79/249/1249 OTJIWARONGO.

Name of Bidder:

Contact Number of Bidder:

Email Address of Bidder:

Authorized Representative:

Total price:

Signature:

Closing Date & Time: 13th January 2025; 10h00

**Procurement Management Unit
Otjozondjupa Regional Council
P.O. Box 1682
Otjiwarongo
Namibia**



Otjozondjupa Regional Council



Tel: 067-303702
Fax: 067-302760/302742

P.O. Box 1682
Otjiwarongo
Namibia

Letter of Invitation

PROCUREMENT REFERENCE NO: W/RFQ/OTRCMT-01/2024/2025

The Otjozondjupa Regional Council invites you to submit your best quote for Construction of the as described in detail in the bidding document hereunder.

Minor repairs of BM 79/249/1249, Otjiwarongo



Please prepare and submit your quotation on or before **13th January 2025, 10h00** in accordance with the instructions given or inform the undersigned if you will not be submitting a quotation.

Any resulting contract shall be subject to the terms and conditions referred to in the bidding document.

Technical Queries, if any, should be addressed to **Mr JT Upora via email to upora.justice@gmail.com**

Administration Queries, if any, should be addressed to **Ms. I. Kanduuombe via email to ivonnekanduuombe2005@gmail.com**

Yours Faithfully



MRS S.M.K. TUAHUKU
HEAD: PROCUREMENT MANAGEMENT UNIT.

SECTION I: INSTRUCTIONS TO BIDDERS

1. Rights of Public Entity

The *Otjozondjupa Regional Council* reserves the right:

- (a) to split the contract as per the lowest evaluated cost per lot; and
- (b) to accept or reject any quotation or to cancel the quotation process and reject all quotations at any time prior to contract award.

2. Preparation of Quotations

You are requested to quote for the works mentioned in Section III, by completing, signing and returning:

- (a) the Quotation Letter in Section II with its annex for Bid Securing Declaration, where applicable;
- (b) the Priced Activity Schedule in Section IV;
- (c) the Specifications and Compliance Sheet in Section V; and
- (d) any other attachment as deemed appropriate

You are advised to carefully read the complete Request for Quotations document, including the Special Conditions of Contract in Section VII, before preparing your Quotation. The standard forms in this document may be retyped for completion but the Bidder is responsible for their accurate reproduction.

3. Validity of Quotations

The quotation validity period shall be **60** days from the date of bid submission deadline.

4. Eligibility Criteria

To be eligible to participate in this Quotation exercise, you should:

- (a) have a valid certified copy of Founding Statement for any of the followings:
 - i. *an entity incorporated or registered under the company or close corporation laws in Namibia;*
 - ii. *co-operative registered under the laws regulating co-operatives in Namibia;*
 - iii. *document serving as of registration as a Trust and Trust deed for a trust registered under laws regulating trusts in Namibia;*
- (b) have valid original/certified copy of Good Standing Tax Certificate;
- (c) have valid original/certified copy of Good Standing Social Security Certificate;
- (d) have a valid certified copy of Affirmative Action Compliance Certificate or proof from Employment Equity Commissioner that bidder is not a relevant employer or exemption issued in terms of Section 42 of the Affirmative Action Act, 1998;
- (e) Submit Signed Bid Securing Declaration;

- (f) have or sign a written undertaking as contemplated in section 138(2) of the Labour Act, 2007
- (g) Original or certified copy of partnership agreement in the case of partnership, a valid joint venture agreement in the case of other similar arrangements.
- (h) Complete document in full
- (i) Civil Trade Qualifications of owner or employees
- (j) Sign all pages where applicable and initial the whole document;
- (k) Have a certificate indicating SME Status;
- (l) One bidding document per bidder including partnership;
- (m) Certified copy of owner or owners/ bidder Identification Document;
- (n) Bank rating letter with C or better rating;
- (o) Reference letter for similar work of the same magnitude done in the past.

5. Bid Security/Bid Securing Declaration

Bidders are required to sign a bid security declaration form

6. Works Completion Period/Validity period of Quotation

The validity period of the quotation is **60 days** and the completion period for works shall be **60 days** after acceptance and issue of Purchase Order and the signing of contract agreement. Deviation in completion period shall not be accepted but shall be considered if such deviation is reasonable.

7. Sealing and Marking of Quotations

Quotations should be sealed in a single envelope, clearly marked with the Procurement Reference Number, addressed to the Otjozondjupa Regional Council with the Bidder's name and contact details at the back of the envelope.

8. Submission of Quotations

Bid must be registered in the register provided by Council before deposited in the bid box, located at **Otjozondjupa Regional Council's Head Quarters at 22 Henk Willems Street, Otjiwarongo; Ground Floor-Block B** not later than **10h00** on **13th January 2025**. Bids by post should reach Otjozondjupa regional Council; by the same date and time at latest. Late Bids will be rejected. Bids received by email or fax will not be considered.

Please take note: Late quotations will be rejected.

9. Opening of Quotations

Quotations will be opened internally immediately after the closing time referred to in section 8 above. A record of the Quotation Opening stating the name of the bidders, the amount quoted will be posted on the website of **Otjozondjupa Regional Council** and available to any bidder on request within three working days of the Opening.

10. Evaluation of Quotations

Otjozondjupa Regional Council' shall have the right to request for clarifications in writing during evaluation. Offers that are substantially responsive shall be compared on the basis of evaluated cost, to determine the most substantially responsive evaluated quotation.

NB: The bidder having the lowest evaluated responsive quotation that is 15% above or 15% below the cost estimates shall be selected for award.

11. Technical Compliance

The Specifications and Compliance Sheet details the minimum specifications of the works to be carried out. The specifications have to be met, but no credit will be given for exceeding the specifications.

12. Prices and Currency of Payment

Prices for the execution of works shall be fixed in Namibian Dollars as quoted. Quotations shall cover all costs of labour, materials, equipment, overheads, profits and all associated costs for performing the works, and shall include all duties. The whole cost of performing the works shall be included in the items stated, and the cost of any incidental works shall be deemed to be included in the prices quoted.

13. Margin of Preference

[Not applicable]

14. Award of Contract

The Bidder having submitted the substantial responsive bid shall be selected for award of contract. Award of contract shall be by issue of a Contract Agreement and Letter of Acceptance in accordance with terms and conditions contained in Section VI: Contract Agreement and General Conditions of Contract.

15. Notification of Award and Debriefing

Otjozondjupa Regional Council shall after award of contract promptly inform all unsuccessful bidders in writing of the name and address of the successful bidder and the contract amount and post a notice of award on its website **within 7 days**. Furthermore, the Public Entity shall attend to all requests for debriefing made in writing **within 7 days** of the unsuccessful bidders being informed of the award.

16. Payment terms

The Employer undertakes to effect payment within 30 days after completion of the services to the satisfaction of the Client subject to the Service Provider submitting all required documents to initiate the payment. Final payment shall be adjusted to reflect any noncompliance in the execution of the contract.

SECTION II: QUOTATION LETTER

(to be completed by Bidders)

[Complete this form with all the requested details and submit it as the first page of your quotation with the Priced Activity Schedule and documents requested above. A signature and authorisation on this form will confirm that the terms and conditions of the RFQ prevail over any attachments. If your quotation is not authorised, it will be rejected]

| | |
|--------------------------------|---|
| Quotation addressed to: | Otjondjupa Regional Council P O Box 1682 22 Hank Willems Street |
| Procurement Reference Number: | W/RFQ/OTRCMT-01/2024/2025 |
| Subject matter of Procurement: | Minor repairs of BM 71/249/1249 |

We offer to execute the Works detailed in the Statement of Requirements, in accordance with the terms and conditions stated in your Request for Sealed Quotations referenced above.

We confirm that we are eligible to participate in this Quotation exercise and meet the eligibility criteria specified in Section 1: Instructions to Bidders

We undertake to abide by the Conduct of Bidders and Suppliers as provided under the Public Procurement Act during the procurement process and the execution of any resulting contract.

We have read and understood the content of the Bid Security/Bid Securing Declaration (BSD) attached hereto and subscribe fully to the terms and conditions contained therein. We further understand that this subscription could lead **disqualification on the grounds mentioned in the BDS.**

The validity period of our Quotation is _____ days *[insert number of days]* from the date of the bid submission deadline.

We confirm that the prices quoted in the Priced Activity Schedule are fixed and firm and will not be subject to revision or variation, if we are awarded the contract **prior to the expiry** date of the quotation validity.

Works will commence within _____ *[insert number]* days from date of issue of Purchase Order/ Letter of Acceptance.

Works will be completed within _____ *[insert number]* days from date of issue of Purchase Order/ Letter of acceptance.

Quotation Authorised by:

| | | | | |
|---|--|------------------|------------|----------------------------|
| Name of Bidder | | | | Company's Address and seal |
| Contact Person | | | | |
| Name of Person Authorising the Quotation: | | Position: | Signature: | |
| Date | | Phone No./E-mail | | |

BID SECURING DECLARATION
(Section 45 of Act)
(Regulation 37(1) (b) and 37(5))

Date:

Procurement Ref No.: W/RFQ/OTRCMT-01/2024/2025

To:

I/We* understand that in terms of section 45 of the Act a public entity must include in the bidding document the requirement for a declaration as an alternative form of bid security.

I/We* accept that under section 45 of the Act, I/we* may be suspended or disqualified in the event of

- (a) **a modification or withdrawal of a bid after the deadline for submission of bids during the period of validity;**
- (b) **refusal by a bidder to accept a correction of an error appearing on the face of a bid;**
- (c) **failure to sign a procurement contract in accordance with the terms and conditions set forth in the bidding document, should I/We* be successful bidder; or**
- (d) **failure to provide security for the performance of the procurement contract if required to do so by the bidding document.**

I/We* understand this bid securing declaration ceases to be valid if I am/We are* not the successful Bidder

Signed:

[insert signature of person whose name and capacity are shown]

Capacity of:

[indicate legal capacity of person(s) signing the Bid Securing Declaration]

Name:

[insert complete name of person signing the Bid Securing Declaration]

Duly authorized to sign the bid for and on behalf of: *[insert complete name of Bidder]*

Dated on _____ day of _____

[insert date of signing]

Corporate Seal (where appropriate)

[Note*: In case of a joint venture, the bid securing declaration must be in the name of all partners to the joint venture that submits the bid.]

****delete if not applicable / appropriate***



Republic Of Namibia

Ministry of Labour, Industrial Relations and Employment Creation

Written undertaking in terms of section 138 of the Labour Act, 2015 and section 50(2)(D) of the Public Procurement Act, 2015

1. EMPLOYERS DETAILS

Company Trade Name:

Registration Number:

Vat Number:

Industry/Sector:

Place of Business:

Physical Address:

Tell No:

Fax No:

Email Address:

Postal Address:

Full name of Owner/Accounting Officer:

.....

Email Address:

2. PROCUREMENT DETAILS

Procurement Reference No:

Procurement Description:

.....

.....

Anticipated Contract Duration:

Location where work will be done, good/services will be delivered: **Otjiwarongo at BM 71/249/1249**

3. UNDERTAKING

I[insert full name], owner/representative

of[insert full name of company]

hereby undertake in writing that my company will at all relevant times comply fully with the relevant provisions of the Labour Act and the Terms and Conditions of Collective Agreements as applicable.

I am fully aware that failure to abide to such shall lead to the action as stipulated in section 138 of the labour Act, 2007, which include but not limited to the cancellation of the contract/licence/grant/permit or concession.

Signature:

Date:

Seal:

Please take note:

1. *A labour inspector may conduct unannounced inspections to assess the level of compliance*
2. *This undertaking must be displayed at the workplace where it will be readily accessible and visible by the employees rendering service(s) in relations to the goods and services being procured under this contract.*

SECTION IV: PRICED ACTIVITY SCHEDULE

Procurement Reference Number: **W/RFQ/OTRCMT-01/2024/2025**

[Complete the unit and total prices for each item listed below. Authorise the prices quoted in the signature block below.]

The quantities shown below are approximate and not subject to re-measurement for payment purposes.

| Item No | Brief Description of Works | Quantity | Unit of Measure | Unit Price (N\$) | Total Price (N\$) |
|---------|---|----------|-----------------|------------------|-------------------|
| A* | B* | C* | D* | E | F |
| 1 | Hacking up or hacking off and removing granolithic, screeds, plaster, tiles, etc from concrete or brickwork and preparing surfaces for new screeds, plaster, tiling, etc (elsewhere measured) | | | | |
| 1.1 | Ceramic floor or wall tiles | 10 | m ² | | |
| 2 | Taking out and removing doors, windows, etc from brickwork or concrete walls to be demolished. | | | | |
| 2.1 | Timber single or double door and steel door frame not exceeding 2,5m ² in area | 4.0 | No. | | |
| 3 | Taking out and removing taps and mixers | | | | |
| 3.1 | Pillar tap, bib tap or angle valve | 5.0 | No. | | |
| 4 | Taking out and removing sanitary fittings and appliances, including taps and traps, including disconnecting piping from fittings and cutting back and sealing off all water and waste pipes as necessary | | | | |
| 4.1 | Stainless steel or earthenware wash hand basin | 1.0 | No. | | |
| 5 | Taking out and removing sanitary fittings and appliances, including taps and traps, including disconnecting piping from fittings and cutting back and sealing off all | | | | |

| | | | | | |
|------|--|--------|----------------|--|--|
| | water and waste pipes as necessary | | | | |
| 5.1 | Steel or acrylic bath of all sizes | 1.0 | No. | | |
| 6 | Sealing of existing roofs and flashings | | | | |
| 6.1 | Seal all holes and roofing screws, etc in galvanised roof sheeting and leave watertight (measured on flat to affected roof area on slope) | 200.00 | m ² | | |
| 7 | Repairs to steel and timber windows | | | | |
| 7.1 | Replace missing or damaged mosquito gauze to steel, aluminium or timber flyscreen | 4.0 | m ² | | |
| 8 | Repairs to steel and timber windows | | | | |
| 8.1 | Replace missing or damaged galvanised chicken mesh gauze to steel, aluminium or timber flyscreen | 4.0 | m ² | | |
| 9 | Cutting through existing walls and finishes, etc and making good | | | | |
| 9.1 | Lift up existing interlocking paving stones or paving slabs for laying of new pipe not exceeding 160mm diameter and later re-lay (new pipe elsewhere measured) | 30.0 | m | | |
| 10 | Clean down and prepare and one coat Acrylic PVA paint | | | | |
| 10.1 | On underside of profiled roof sheeting and ceilings (measured on flat to ceiling area) | 200.0 | m ² | | |
| 11 | Brickwork of 14MPa cement bricks in class II mortar | | | | |
| 11.1 | One brick wall | 2.0 | m ² | | |
| 12 | 40mm Semi-solid flush doors with hardboard covering both sides and concealed hardwood edge strips | | | | |
| 12.1 | Door size 813 x 2032mm high | 2.0 | No. | | |
| 13 | 40mm Semi-solid flush doors with hardwood veneer both sides and concealed hardwood edge strips | | | | |

| | | | | | |
|------|--|------|----------------|--|--|
| 13.1 | Door size 813 x 2032mm high | 1.0 | No. | | |
| 14 | Mortice locks | | | | |
| 14.1 | Four lever upright mortice deadlock with stainless steel forend | 8.0 | No. | | |
| 15 | Cylinder locks | | | | |
| 15.1 | Oval knob cylinder lock with oval profile lock case and brass forend | 4.0 | No. | | |
| 16 | Sundry steelwork | | | | |
| 16.1 | Rectangular or square hollow section posts or columns | 30.0 | Kg. | | |
| 17. | One coat compo plaster steel trowelled smooth on brickwork to | | | | |
| 17.1 | Walls | 4.0 | m ² | | |
| 18 | 200 x 200 x 5mm White glazed ceramic wall tiles to: | | | | |
| 18.1 | Walls | 10.0 | m ² | | |
| 19 | Take delivery of, transport to the site, store, protect and lay ceramic tiles fixed with and including adhesive to plastered surfaces (elsewhere measured) and flush pointed with an approved tinted waterproof jointing compound on (cost of | | | | |
| 19.1 | Walls | 10.0 | m ² | | |
| 20 | Take delivery of, transport to the site, store, protect and lay ceramic floor tiles of differing sizes fixed with and including adhesive to screeded surfaces (elsewhere measured) and flush pointed with an approved tinted waterproof | | | | |
| 20.1 | Floors to patterns | 14.0 | m ² | | |
| 21 | non-schedule item title | | | | |
| 21.1 | industrial ceramic tiles 350 x 350mm x 8mm fixed with tiles | 14.0 | m ² | | |

| | | | | | |
|------|--|------|-----|--|--|
| | adhesive to plastered surfaces and filled with matching grout in joints. | | | | |
| 22 | White vitreous china or glazed fireclay | | | | |
| 22.1 | Basin size 560 x 400mm with two tap holes fixed to walls with and including semi-concealed cast iron brackets | 1.0 | No. | | |
| 23 | Chromium plated brass | | | | |
| 23.1 | 40mm Shower trap with chromium plated grating | 1.0 | No. | | |
| 24 | Chrome plated brass taps and sundries | | | | |
| 24.1 | 15mm Angle regulating valve with 10mm chromium plated copper service pipe 300mm girth bent as required | 2.0 | No. | | |
| 25 | Chrome plated brass taps and sundries | | | | |
| 25.1 | 15mm Raised nose pillar tap | 2.0 | No. | | |
| 26 | Chrome plated brass taps and sundries | | | | |
| 26.1 | 15mm Underwall pattern stop tap with cover plate | 2.0 | No. | | |
| 27 | Chrome plated brass taps and sundries | | | | |
| 27.1 | 15mm Shower rose 85mm diameter | 1.0 | No. | | |
| 28 | Chrome plated brass taps and sundries | | | | |
| 28.1 | 15mm Shower arm with cover plate | 1.0 | No. | | |
| 29 | Class 12 HDPE type IV water pipes including all straight joints and connectors laid in ground in trenches not less than 600mm deep, including excavations, backfilling, etc | | | | |
| 29.1 | 25mm Pipes laid in ground in trenches | 30.0 | m | | |
| 30 | Extra over HDPE pipes for the following compression fittings | | | | |
| 30.1 | 25mm Fittings | 10.0 | No. | | |

| | | | | | |
|------|---|------|----------------|--------------------------------------|--|
| 31 | Hard drawn thin walled class 0 copper pipes to SABS 460 including all straight joints and connectors | | | | |
| 31.1 | 15mm Pipe fixed or chased into walls | 18.0 | m | | |
| 32 | Extra over class 0 copper pipes for brass capillary fittings | | | | |
| 32.1 | 15mm Fittings (elbows, tees, reducing tees, adaptor couplings, etc) | 16.0 | No. | | |
| 33 | 4mm Common obscure glass | | | | |
| 33.1 | Panes exceeding 0.1m2 and not exceeding 0.5m2 | 2.0 | m ² | | |
| 34 | Cutting down and removing, grubbing up roots and filling in holes | | | | |
| 34.1 | Tree exceeding 200mm and not exceeding 500mm girth | 4.0 | No. | | |
| | | | | Total value of Building Items | |
| | | | | Preliminaries 8% | |
| | | | | Sub-Total | |
| | | | | Contingencies 10% | |
| | | | | Subtotal | |
| | | | | VAT @ % | |
| | | | | Grand Total | |

Enter 0% VAT rate if VAT exempt.

*Columns A to D to be completed as applicable by the Public Entity

Priced Activity Schedule Authorised By:

| | | | |
|----------------------------------|---------|------------|--|
| Name: | | Signature: | |
| Position: | | Date: | |
| Authorised for and on behalf of: | Company | | |

SECTION V: SPECIFICATIONS AND COMPLIANCE SHEET

[Public Entity shall customise this section and the table hereunder where the Service Providers have to achieve set specification and performance standards.]

Procurement Reference Number: **W/RFQ/OTRCMT/01/2024/2025**

[Bidders should complete columns C and D with the specifications and performance of the Works offered. Also state "comply" or "not comply" and give details of any non-compliance/deviation to the specifications required. Attach detailed technical literature if required. Authorise the specifications offered in the signature block below]

| Item No | Specifications and Performance Required | Compliance of Specifications and Performance Offered | Details of Non-Compliance/ Deviation (if applicable) |
|------------|---|--|--|
| <i>A*</i> | <i>B*</i> | <i>C</i> | <i>D</i> |
| 1 | Hacking up or hacking off and removing granolithic, screeds, plaster, tiles, etc from concrete or brickwork and preparing surfaces for new screeds, plaster, tiling, etc (elsewhere measured) | | |
| 1.1 | Ceramic floor or wall tiles | | |
| 2 | Taking out and removing doors, windows, etc from brickwork or concrete walls to be demolished | | |
| 2.1 | Timber single or double door and steel door frame not exceeding 2,5m ² in area | | |
| 3 | Taking out and removing taps and mixers | | |
| 3.1 | Pillar tap, bib tap or angle valve | | |
| 4 | Taking out and removing sanitary fittings and appliances, including taps and traps, including disconnecting piping from fittings and cutting back and sealing off all water and waste pipes as necessary | | |
| 4.1 | Stainless steel or earthenware wash hand basin | | |

| Item No | Specifications and Performance Required | Compliance of Specifications and Performance Offered | Details of Non-Compliance/ Deviation (if applicable) |
|-------------|---|--|--|
| <i>A*</i> | <i>B*</i> | <i>C</i> | <i>D</i> |
| 5 | Taking out and removing sanitary fittings and appliances, including taps and traps, including disconnecting piping from fittings and cutting back and sealing off all water and waste pipes as necessary | | |
| 5.1 | Steel or acrylic bath of all sizes | | |
| 6 | Sealing of existing roofs and flashings | | |
| 6.1 | Seal all holes and roofing screws, etc in galvanised roof sheeting and leave watertight (measured on flat to affected roof area on slope) | | |
| 7 | Repairs to steel and timber windows | | |
| 7.1 | Replace missing or damaged mosquito gauze to steel, aluminium or timber flyscreen | | |
| 8 | Repairs to steel and timber windows | | |
| 8.1 | Replace missing or damaged galvanised chicken mesh gauze to steel, aluminium or timber flyscreen | | |
| 9 | Cutting through existing walls and finishes, etc and making good | | |
| 9.1 | Lift up existing interlocking paving stones or paving slabs for laying of new pipe not exceeding 160mm diameter and later re-lay (new pipe elsewhere measured) | | |
| 10 | Clean down and prepare and one coat Acrylic PVA paint | | |
| 10.1 | On underside of profiled roof sheeting and ceilings (measured on | | |

| Item No | Specifications and Performance Required | Compliance of Specifications and Performance Offered | Details of Non-Compliance/ Deviation (if applicable) |
|-------------|--|--|--|
| <i>A*</i> | <i>B*</i> | <i>C</i> | <i>D</i> |
| | flat to ceiling area) | | |
| 11 | Brickwork of 14MPa cement bricks in class II mortar | | |
| 11.1 | One brick wall | | |
| 12 | 40mm Semi-solid flush doors with hardboard covering both sides and concealed hardwood edge strips | | |
| 12.1 | Door size 813 x 2032mm high | | |
| 13 | 40mm Semi-solid flush doors with hardwood veneer both sides and concealed hardwood edge strips | | |
| 13.1 | Door size 813 x 2032mm high | | |
| 14 | Mortice locks | | |
| 14.1 | Four lever upright mortice deadlock with stainless steel forend | | |
| 15 | Cylinder locks | | |
| 15.1 | Oval knob cylinder lock with oval profile lock case and brass forend | | |
| 16 | Sundry steelwork | | |
| 16.1 | Rectangular or square hollow section posts or columns | | |
| 17 | One coat compo plaster steel trowelled smooth on brickwork to | | |
| 17.1 | Walls | | |

| Item No | Specifications and Performance Required | Compliance of Specifications and Performance Offered | Details of Non-Compliance/ Deviation (if applicable) |
|-----------|---|--|--|
| <i>A*</i> | <i>B*</i> | <i>C</i> | <i>D</i> |
| 18 | 200 x 200 x 5mm White glazed ceramic wall tiles to: | | |
| 18.1 | Walls | | |
| 19 | Take delivery of, transport to the site, store, protect and lay ceramic tiles fixed with and including adhesive to plastered surfaces (elsewhere measured) and flush pointed with an approved tinted waterproof jointing compound on (cost of | | |
| 19.1 | Walls | | |
| 20 | Take delivery of, transport to the site, store, protect and lay ceramic floor tiles of differing sizes fixed with and including adhesive to screeded surfaces (elsewhere measured) and flush pointed with an approved tinted waterproof | | |
| 20.1 | Floors to patterns | | |
| 21 | non-schedule item title | | |
| 21.1 | Industrial ceramic tiles 350 x 350mm x 8mm fixed with tiles adhesive to plastered surfaces and filled with matching grout in joints. | | |
| 22 | White vitreous china or glazed fireclay | | |
| 22.1 | Basin size 560 x 400mm with two tap holes fixed to walls with and including semi-concealed cast iron brackets | | |

| Item No | Specifications and Performance Required | Compliance of Specifications and Performance Offered | Details of Non-Compliance/ Deviation (if applicable) |
|-------------|--|--|--|
| <i>A*</i> | <i>B*</i> | <i>C</i> | <i>D</i> |
| 23 | Chromium plated brass | | |
| 23.1 | 40mm Shower trap with chromium plated grating | | |
| 24 | Chrome plated brass taps and sundries | | |
| 24.1 | 15mm Angle regulating valve with 10mm chromium plated copper service pipe 300mm girth bent as required | | |
| 25 | Chrome plated brass taps and sundries | | |
| 25.1 | 15mm Raised nose pillar tap | | |
| 26 | Chrome plated brass taps and sundries | | |
| 26.1 | 15mm Underwall pattern stop tap with cover plate | | |
| 27 | Chrome plated brass taps and sundries | | |
| 27.1 | 15mm Shower rose 85mm diameter | | |
| 28 | Chrome plated brass taps and sundries | | |
| 28.1 | 15mm Shower arm with cover plate | | |
| 29 | Class 12 HDPE type IV water pipes including all straight joints and connectors laid in ground in trenches not less than 600mm deep, including excavations, backfilling, etc | | |

| Item No | Specifications and Performance Required | Compliance of Specifications and Performance Offered | Details of Non-Compliance/ Deviation (if applicable) |
|-----------|---|--|--|
| <i>A*</i> | <i>B*</i> | <i>C</i> | <i>D</i> |
| 29.1 | 25mm Pipes laid in ground in trenches | | |
| 30 | Extra over HDPE pipes for the following compression fittings | | |
| 30.1 | 25mm Fittings | | |
| 31 | Hard drawn thin walled class 0 copper pipes to SABS 460 including all straight joints and connectors | | |
| 31.1 | 15mm Pipe fixed or chased into walls | | |
| 32 | Extra over class 0 copper pipes for brass capillary fittings | | |
| 32.1 | 15mm Fittings (elbows, tees, reducing tees, adaptor couplings, etc) | | |
| 33 | 4mm Common obscure glass | | |
| 33.1 | Panes exceeding 0.1m ² and not exceeding 0.5m ² | | |
| 34 | Cutting down and removing, grubbing up roots and filling in holes | | |
| 34.1 | Tree exceeding 200mm and not exceeding 500mm girth | | |

* Columns A and B to be completed by Public Entity.

Specifications and Compliance Sheet Authorised By:

| | | | |
|----------------------------------|--|------------|--|
| Name: | | Signature: | |
| Position: | | Date: | |
| Authorised for and on behalf of: | | Company | |

SECTION VI: GENERAL CONDITIONS OF CONTRACT AND CONTRACT AGREEMENT

Any resulting contract shall be placed by means of a Purchase Order/Letter of Acceptance and shall be subject to the General Conditions of Contract (GCC) for the Procurement of Goods (Ref. **W/RFQ-GCC**) available on the website of the Public Entity (*insert website address*) except where modified by the Special Conditions below

SECTION VIII SPECIAL CONDITIONS OF CONTRACT

Procurement Reference Number: **W/RFQ/OTRCMT-01/2024/2025**

The clause numbers given in the first column correspond to the relevant clause number of the General Conditions of Contract. *[This section is to be customised by the Public Entity to suit the requirements of the specific procurement].*

| GCC Clause Reference | Special Conditions |
|---|---|
| Employer GCC 1.1(r) | Otjzondjupa Regional Council – Division Maintenance & Technical Services – Otjiwarongo Regional Office |
| Intended Completion Date GCC | The intended completion date is: To be Discussed during site handover |
| Project Manager GCC 1.1(y) | The Project Manager is: Mr JT Upora |
| Site GCC 1.1(aa) | The Site is located at: Otjiwarongo |
| Start Date GCC 1.1(dd) | The Start Date shall be: Two weeks after signing of Contract Agreement |
| The Works GCC 1.1(hh) | The Works consist of: Minor Repairs of BM 71/249/1249 - Otjiwarongo |
| Interpretation GCC 2.2 | The project will be completed in the following sections: As a whole once off project. NB! Contingencies to be claimed must be verified and certified correct by the Works Inspector with a Quotation before it's Paid. |
| Interpretation GCC2.3 | The following additional documents shall form part of the contract: |

| GCC Clause Reference | Special Conditions |
|---|---|
| Language and Law GCC 3.1 | <p>The language of the contract is English</p> <p>The law that applies to the Contract is the law of Namibia.</p> |
| Project Manager's Decisions 4.1 | <p>The Project Manager shall obtain specific approval from the Employer before carrying out any of his duties under the Contract which in the Project Manager's opinion will cause the amount finally due under the Contract to exceed the Contract Price or will give entitlement to extension of time. This requirement shall be waived in an emergency affecting safety of personnel or the Works or adjacent property.</p> |
| Delegation GCC 5.1 | <p>The Project Manager may delegate his/her duties.</p> |
| Notices GCC 6 | <p>Any notice shall be sent to the following addresses:</p> <p>For the Employer, the address shall be as given on the page 2 of this Bidding Document and the contact name shall be: Division Maintenance & Technical services; Otjiwarongo Regional Office.</p> <p>For the Contractor, the address shall be as given on the first page of the Purchase Order/Letter of Acceptance and the contact name shall be _____</p> |
| Insurance GCC 13.1 | <p>Except for the cover mentioned in (d)(i) hereunder, the other insurance covers shall be in the joint names of the Contractor and the Employer and the minimum insurance amounts shall be:</p> <ul style="list-style-type: none"> (a) for the Works, Plant and Materials: <i>(for the full amount of the works including removal of debris, professional fee etc...)</i> (b) for loss or damage to Equipment: <i>(for the replacement value of the equipment that the contractor intends to use on site until the taking over by the Employer.</i> (c) for loss or damage to property (except the Works, Plant, Materials, and Equipment) in connection with Contract <i>for an amount representing the value of the properties that are exposed to the action of the contractor in the execution of the works. It will extend to the property of the Procuring Entity as well).</i> (d) for personal injury or death: <ul style="list-style-type: none"> (i) of the Contractor's employees: <i>[The Contractor shall take an adequate insurance cover for its employees for any claim arising in the execution of the works].</i> (ii) of other people: <i>[This cover shall be for an adequate amount for Third Party extended to the Employer and</i> |

| GCC Clause Reference | Special Conditions |
|--------------------------------------|--|
| | <p><i>its representatives]</i>.</p> <p>(e) for loss or damage to materials on-site and for which payment have been included in the Interim Payment Certificate, where applicable.</p> <p>The Contractor shall choose to take the insurance covers indicated above as separate covers or a combination of the Contractor's All Risks coupled with the Employer's liability and First Loss Burglary, after approval of the Employer. All insurance covers shall be of nil or the minimum possible deductibles at sole expense of the contractor.</p> |
| Site Date GCC 14.1 | The site Data shall be discussed after signing of contract . |
| Possession of the Site GCC 20.1 | The Site Possession Date shall be: Two weeks after signing of Contract Agreement. |
| Procedure for Disputes GCC 24 | No Adjudicator shall be appointed under the contract and arbitration shall not apply. If any dispute arises between the Employer and the Contractor in connection with or arising out of the Contract, the parties shall seek to resolve any such dispute by amicable agreement. If the parties fail to resolve such dispute by amicable agreement, within 14 days after one party has notified the other in writing of the dispute, then the dispute shall be referred to court by either party. |
| Program GCC 25.1 | The Contractor shall submit for approval a Program for the Works within 14 days from the date of the Letter of Acceptance or issue of Purchase Order Agreement. |
| GCC 25.3 | Program updates shall not be required. |
| Defects Liability Period GCC 33.1 | The Defects Liability Period is: 180 days after the completion date. |
| Payment Certificates GCC 39.7 | <p>Division Maintenance & Technical Services Choose:</p> <p>A single statement of the estimated value of the work executed shall be submitted on completion of the Works. The Project Manager shall check the statement and certify the amount to be paid to the Contractor”.</p> |
| Payments GCC 40 | <p>The amount certified by the Project Manager shall be paid in full within 30 days of receipt by the Employer of an invoice, supported by:</p> <p>(a) the payment certificate; and</p> <p>(b) a certificate of Completion of the Works.</p> |
| Adverse weather | Acts of God will on be defined as adverse weather that is Floods, |

| GCC Clause Reference | Special Conditions |
|--|---|
| Conditions GCC 41.1 (I) | Lightning strikes and heavy storms. |
| Price Adjustment GCC 44. | The Contract is not subject to price adjustment. |
| Retention GCC 45. | (i) 10% of the amount shall be retained from any payment. Half of the retention money will be released after formal taking over of the Works and the remaining shall be released after the Defect Liability Period subject to the Contractor making good all defects. |
| Liquidated Damages GCC 46.1 | The liquidated damages for the whole of the Works are N/A per day. The maximum amount of liquidated damages for the whole of the Works is N/A. |
| Bonus GCC 47.1 | The rate for the Bonus per calendar day is: N\$0.00 |
| Advance Payment GCC 48.1 | (i) No advance payment shall be made |
| Performance Security GCC 49.1 | (i) No Performance Security is required*or |
| GCC 56.1 | “As built” drawings or operating and maintenance manuals <i>are</i> not required. |
| GCC 59.1 | The percentage to apply to the value of the work not completed, representing the Employer’s additional cost for completing the Works, is: N/A |

SCHEDULE 2

QUOTATION CHECKLIST SCHEDULE

[Public Entity to update this Checklist to ensure that it contains the documents required from Bidders for the specific procurement]

Procurement Reference No.: W/RFQ/OTRCMT-01/2024/2025

| Description | Attached | Not Attached |
|--|----------|--------------|
| Quotation letter | | |
| Priced Activity Schedules | | |
| Specification and Compliance Sheet | | |
| Bid Securing Declaration | | |
| have a valid certified copy of Founding Statement | | |
| have a valid original or certified Good Standing Tax Certificate | | |
| have a valid original or certified Good Standing Social Security Certificate | | |
| have a valid certified copy of Affirmative Action Compliance Certificate, proof from Employment Equity Commissioner that bidder is not a relevant employer, or exemption issued in terms of Section 42 of the Affirmative Action Act, 1998 | | |
| have a valid certified copy of certificate indicating SME Status | | |
| Owner/Owners Identification document attached | | |

Disclaimer: The list defined above is meant to assist the Bidder in submitting the relevant documents and shall not be a ground for the bidder to justify its non-submission of major documents for its quotation to be responsive. The onus remains on the Bidder to ascertain that it has submitted all the documents that have been requested and are needed for its submission to be complete and responsive