Tel: (067) 303702/303619/304168

Fax: (067) 302760/302742

P.O. Box 1682 Otjiwarongo NAMIBIA

### **BIDDING DOCUMENT**

### FOR

### PROCUREMENT OF WORKS

PROCUREMENT REFERENCE NUMBER: W/RFQ/OTRCED-13/2024/2025

### PROCUREMENT DESCRIPTION:

# MINOR RENOVATION OF ABLUTION BLOCK ST. ISIDOR PRIMARY SCHOOL

| Name of Bidder:            | ••••• | <br> | ••••• |
|----------------------------|-------|------|-------|
| Contact Number of Bidder:  |       | <br> |       |
| Email Address of Bidder:   |       | <br> |       |
| Authorized Representative: |       | <br> |       |
| Total price:               |       |      |       |
| Signature:                 |       | <br> |       |

Closing Date & Time: 27 February 2025 @ 10h00

Procurement Management Unit Otjozondjupa Regional Council P.O. Box 1682 Otjiwarongo Namibia



P.O. Box 1682 Otjiwarongo NAMIBIA

### Letter of Invitation

| Bidder's name  |  |
|----------------|--|
| Contact number |  |

Procurement Reference Number: W/RFQ/OTRCED-13/2024/2025

Dear Sir/Madam,

Tel: (067) 303702/303619/304168

Fax: (067) 302760/302742

Otjozondjupa Regional Council invites you to submit your best quote for the items described in detail hereunder.

### Minor renovation of ablution block at St. Isidor Primary School

Please prepare and submit your quotation in accordance with the instructions given or inform the undersigned if you will not be submitting a quotation.

Any resulting contract shall be subject to the terms and conditions referred to in the bidding document.

Technical queries, if any, should be addressed to **Mr. J. Uusiku** via email: <a href="mailto:junias.uusiku@gmail.com">junias.uusiku@gmail.com</a> and for Administration queries, if any should be addressed to **Ms. L. Engombe** via email: loise986@gmail.com

Yours Faithfully

S. SMK. TUAHUKU

HEAD: PROCUREMENT N

2025 -02- 17

### SECTION I: INSTRUCTIONS TO BIDDERS

### 1. Rights of Public Entity

The Otjozondjupa Regional Council reserves the right:

- (a) to split the contract as per the lowest evaluated cost per lot; and
- (b) to accept or reject any quotation or to cancel the quotation process and reject all quotations at any time prior to contract award.

### 2. Preparation of Quotations

You are requested to quote for the works mentioned in Section III, by completing, signing and returning:

- (a) the Quotation Letter in Section II with its annex for Bid Securing Declaration, where applicable;
- (b) the Priced Activity Schedule in Section IV;
- (c) the Specifications and Compliance Sheet in Section V; and
- (d) any other attachment as deemed appropriate

You are advised to carefully read the complete Request for Quotations document, including the Special Conditions of Contract in Section VII, before preparing your Quotation.

### 3. Validity of Quotations

The quotation validity period shall be 60 days from the date of bid submission deadline.

### 4. Eligibility Criteria

To be eligible to participate in this Quotation exercise, you should:

- (a) have a valid certified copy company Registration Certificate;
  - i. an entity incorporated or registered under the company or close corporation laws in Namibia;
  - ii. co-operative registered under the laws regulating co-operatives in Namibia;
- iii. document serving as of registration as a Trust and Trust deed for a trust registered under laws regulating trusts in Namibia;
- (b) have an original valid / certified copy good Standing Tax Certificate;
- (c) have an original valid / certified copy good Standing Social Security Certificate;
- (d) have a valid certified copy of Affirmative Action Compliance Certificate, proof from Employment Equity Commissioner that bidder is not a relevant employer, or exemption issued in terms of Section 42 of the Affirmative Action Act, 1998;
- (e) Submit signed Bid-securing Declaration.
- (f) have or sign a written undertaking as contemplated in section 138(2) of the Labour Act, 2007

- (g) Original or certified copy of partnership agreement in the case of partnership, a valid joint venture agreement in the case of a joint venture or valid agreement in case of other similar arrangement.
- (h) Bidder should submit Bank rating minimum rate C or better rating
- (i) Attach three (3) references letters for similar works not older than 5 years
- (j) Initial all pages of the bid document;

### 5. Bid Security/Bid Securing Declaration

Bidders are required to subscribe to a Bid Securing Declaration for this procurement process.

### 6. Works Completion Period/Validity period of Quotation

The validity period of the quotation is 60 days and the completion period for works shall be 90 days after acceptance and issue of Purchase Order and signing of contract agreement. Deviation in completion period shall not be accepted/shall be considered if such deviation is reasonable.

### 7. Sealing and Marking of Quotations

Quotations should be sealed in a single envelope, clearly marked with the Procurement Reference Number, addressed to the Public Entity with the Bidder's name at the back of the envelope.

### 8. Submission of Quotations

Quotations should be deposited in the Bid Box located at Otjozondjupa Regional Council's head Quarters at 22 Henk Willems Street, Otjiwarongo; new building ground floor, Block B not later than 27 February 2025 at 10h00. Bids by post should reach Otjozondjupa Regional Council; by the same date and time at latest. Late bids will be rejected and returned to the bidder unopened. Bids received by email or fax will not be considered.

### 9. Opening of Quotations

Quotations will be opened internally by the Public Entity immediately after the closing time referred to in section 8 above. A record of the Quotation Opening stating the name of the bidders, the amount quoted, the presence or absence of a Bid Securing Declaration, will be posted on the website of the **Otjozondjupa Regional Council** and available to any bidder on request within three working days of the Opening.

### 10. Evaluation of Quotations

The Public Entity shall have the right to request for clarifications in writing during evaluation. Offers that are substantially responsive shall be compared on the basis of evaluated cost, to determine the most substantially responsive evaluated quotation. The threshold amount of the project will be determined by the Employer 5% under or above the threshold amount will be the most responsive amount during evaluation.

### 11. Technical Compliance

The Specifications and Compliance Sheet details the minimum specifications of the works to be carried out. The specifications have to be met, but no credit will be given for exceeding the specifications.

### 12. Prices and Currency of Payment

Prices for the execution of works shall be fixed in Namibian Dollars as quoted. Quotations shall cover all costs of labour, materials, equipment, overheads, profits and all associated costs for performing the works, and shall include all duties. The whole cost of performing the works shall be included in the items stated, and the cost of any incidental works shall be deemed to be included in the prices quoted.

### 13. Margin of Preference

Not applicable

### 14. Award of Contract

The Bidder having submitted the evaluated responsive quotation and qualified to perform the works shall be selected for award of contract. Award of contract shall be by issue of a Purchase Order/Letter of Acceptance in accordance with terms and conditions contained in Section VI: Contract Agreement and General Conditions of Contract.

### 15. Performance Security

[[Not applicable]

### 16. Notification of Award and Debriefing

The Public Entity shall after award of contract promptly inform all unsuccessful bidders in writing of the name and address of the successful bidder and the contract amount and post a notice of award on its website within 7 days. Furthermore, the Public Entity shall attend to all requests for debriefing made in writing within 7 days of the unsuccessful bidders being informed of the award.

17. The Employer undertakes to effect payment within 90 days after completion of the services to the satisfaction of the client subject to the service provider submitting all required documents to initiates the payment. Final payment shall be adjusted to reflect any noncompliance in the execution of the contract.

### **SECTION II: QUOTATION LETTER** (to be completed by Bidders)

[Complete this form with all the requested details and submit it as the first page of your quotation with the Priced Activity Schedule and documents requested above. A signature and authorisation on this form will confirm that the terms and conditions of the RFQ prevail over any attachments. If your quotation is not authorised, it will be rejected

| Quotation addre  | essed to:  | Otjozondjup<br>P.O. Box 168 | ondjupa Regional Council:<br>Box 1682 |   |  |  |  |
|--|--|-----------------------------|---------------------------------------|---|--|--|--|
|  |  | 22 Henk Will                | lems Street                           |   |  |  |  |
| Procurement Re   | ference Number:  | W/RFQ/OT                    | RCED-13/202                           | 24/2025   |  |  |  |
| Subject matter of  | f Procurement:   | Minor renov<br>Primary Scl  |                                       | ution block at St. Isidor   |  |  |  |
|  |  |                             |                                       | Requirements, in accordance with Quotations referenced above.           |  |  |  |
|  | hat we are eligibria specified in Se   |                             |                                       | Quotation exercise and meet the dders                                   |  |  |  |
|  |  |                             |                                       | pliers as provided under the Public xecution of any resulting contract. |  |  |  |
| hereto and su  | We have read and understood the content of the Bid Securing Declaration (BSD) attached hereto and subscribe fully to the terms and conditions contained therein. We further understand that this subscription could lead |                             |                                       |   |  |  |  |
|  | The validity period of our Quotation is days [insert number of days] from the date of the bid submission deadline.   |                             |                                       |   |  |  |  |
| We confirm that the prices quoted in the Priced Activity Schedule are fixed and firm and will not be subject to revision or variation, if we are awarded the contract <b>prior to the expiry</b> date of the quotation validity. |  |                             |                                       |   |  |  |  |
|  | Works will commence within [insert number] days from date of issue of Purchase Order/ Letter of Acceptance.  |                             |                                       |   |  |  |  |
| of   | Works will be completed within [insert number] days from date of issue   |                             |                                       |   |  |  |  |
| otation Authorised   | bv:  |                             |                                       |   |  |  |  |
| me of Bidder   |  |                             | Company's                             | Address and seal  |  |  |  |
| ntact Person   |  |                             |                                       |   |  |  |  |
| me of Person Autho   | orising the Quotati  | on:                         | Position:                             | Signature:  |  |  |  |
| te   |  | Phone 1                     | No./E-mail                            |   |  |  |  |

### **BID SECURING DECLARATION** (Section 45 of Act) (Regulation 37(1) (b) and 37(5))

| Date:         |  |
|---------------|--|
| Procui        | rement Ref No.: W/RFQ/OTRCED-13/2024/2025  |
| To:           |  |
|               | understand that in terms of section 45 of the Act a public entity must include in the g document the requirement for a declaration as an alternative form of bid security. |
| I/We* event o | accept that under section 45 of the Act, I/we* may be suspended or disqualified in the of  |
| (a)           | a modification or withdrawal of a bid after the deadline for submission of bids during the period of validity;   |
| (b)           | refusal by a bidder to accept a correction of an error appearing on the face of a bid;   |
| (c)           | failure to sign a procurement contract in accordance with the terms and conditions set forth in the bidding document, should I/We $^*$ be successful bidder; or            |
| (d)           | failure to provide security for the performance of the procurement contract if required to do so by the bidding document.  |
|               | understand this bid securing declaration ceases to be valid if I am/We are* not the sful Bidder  |
| -             | : signature of person whose name and capacity are shown]   |
|               | ty oftte legal capacity of person(s) signing the Bid Securing Declaration]   |
| Name: [insert | t complete name of person signing the Bid Securing Declaration]  |
| Duly a        | uthorized to sign the bid for and on behalf of: [insert complete name of Bidder]   |
| Dated of      | on day of<br>t date of signing]  |

Corporate Seal (where appropriate)
[Note\*: In case of a joint venture, the bid securing declaration must be in the name of all partners to the joint venture that submits the bid.]



### Ministry of Labour, Industrial Relations and Employment Creation

Witten undertaking in terms of section 138 of the Labour Act, 2015 and section 50(2)(D) of the Public Procurement Act, 2015

### 1. EMPLOYERS DETAILS

| Company Trade Name:                    |
|--|
| Registration Number:                   |
| Vat Number:                            |
| Industry/Sector:                       |
| Place of Business:                     |
| Physical Address:                      |
| Tell No.:                              |
| Fax No.:                               |
| Email Address:                         |
| Postal Address:                        |
| Full name of Owner/Accounting Officer: |
|  |
| Email Address                          |

# 2. PROCUREMENT DETAILS Procurement Reference No.: Procurement Description: Anticipated Contract Duration: Location where work will be done, good/services will be delivered at Mangetti Dune PS 3. UNDERTAKING hereby undertake in writing that my company will at all relevant times comply fully with the relevant provisions of the Labour Act and the Terms and Conditions of Collective Agreements as applicable. I am fully aware that failure to abide to such shall lead to the action as stipulated in section 138 of the labour Act, 2007, which include but not limited to the cancellation of the contract/licence/grant/permit or concession.

Please take note:

Signature: .....

Date: .....

Seal:....

- 1. A labour inspector may conduct unannounced inspections to assess the level of compliance
- 2. This undertaking must be displayed at the workplace where it will be readily accessible and visible by the employees rendering service(s) in relations to the goods and services being procured under this contract.

# SECTION IV: PRICED ACTIVITY SCHEDULE

Procurement Reference Number:

[Complete the unit and total prices for each item listed below. Authorise the prices quoted in the signature block below.] The quantities shown below are approximate and not subject to re-measurement for payment purposes.

| Item No    | Brief Description of Works  | Qty            | Unit | Unit Price | Total Price |
|------------|---|----------------|------|------------|-------------|
| <b>A</b> * | B*  | *5             | D*   | E          | (176)<br>F  |
|            | Taking down and removing ceilings etc   |                |      |            |             |
| 54         | Softboard or gypsum board ceilings including brandering and cover strips and cornices   | m <sup>2</sup> | 21.6 |            |             |
|            | Taking out and removing taps and mixers etc   |                |      |            |             |
| 120        | Pillar tap, bib tap or angle valve  | no             | 18   |            |             |
|            | Taking out and removing sanitary fittings and appliances, including taps and traps, including disconnecting piping from fittings and cutting back and sealing off all water |                |      |            |             |
| 123        | High level or low level cistern with flush pipe and prepare to receive new  | no             | 12   |            |             |
|            | Taking out and removing sanitary fittings and appliances, including taps and traps, including disconnecting piping from fittings and cutting back and sealing off all water |                |      |            |             |
| 124        | Stainless steel or earthware w.c suite drip sink or slop hopper with cistern and flush pipe   | no             | 1    |            |             |
|            | Taking out and removing glass from steel, timber or aluminium windows and prepare to receive new (new glass elsewhere measured)   | -              |      |            |             |
| 152        | Glass from steel windows, doors, sidelights and fanlights   | $m^2$          | 4.55 |            |             |
|            | Repairs to gutters and downpipes  |                |      |            |             |

| 329   Adjust and re-align eaves gutter to correct falls   m²   13   |      |  | i.             |      |  |
|---|------|--|----------------|------|--|
| Repairs to w.c suites and flushing valves  Replace missing or damaged w.c pan connector  Repairs to w.c suites and flushing valves  Replace missing or damaged w.c seat with new heavy duty double seat and flushing valves  Replace missing or damaged w.c seat with new heavy duty  Replace missing or broken w.c pan with new white glazed earthenware pan  Clean down and prepare and one coat Acrylic PVA paint  On external smooth plastered walls  Clean down and prepare and one coat eggshell enamel paint  On internal smooth plastered wall and columns  Clean down and prepare and one coat exterior quality PVA  emulsion paint  On ceilings, including cornices and cover strips  Clean down and prepare and one coat gloss enamel paint  On window with glazing bars ( both sides measured flat  On window with glazing bars ( both sides measured flat  Clean down and prepare and one coat clear gloss  polyurethane varnish  On flush doors  Softboard ceilings  12mm Softboard ceilings  12mm Softboard ceilings board in full length sheets fixed to brandering (elsewhere measured) with and including 8 x  50mm wrot meranti cover strips over joints between sheets  O,8 mm Galvanised sheet iron in  100 75mm Rainwater down pipe fixed to walls with standard  brackets  | 329  | Adjust and re-align eaves gutter to correct falls  | $m^2$          | 13   |  |
| Replace missing or damaged w.c pan connector  Repairs to w.c suites and flushing valves Replace missing or damaged w.c seat with new heavy duty double seat and flap  Replace missing or damaged w.c seat with new heavy duty Replace missing or broken w.c pan with new white glazed earthenware pan Clean down and prepare and one coat Acrylic PVA paint On external smooth plastered walls Clean down and prepare and one coat eggshell enamel paint On internal smooth plastered wall and columns Clean down and prepare and one coat exterior quality PVA emulsion paint On ceilings, including cornices and cover strips Clean down and prepare and one coat gloss enamel paint On window with glazing bars ( both sides measured flat On window with glazing bars ( both sides measured flat Clean down and prepare and one coat clear gloss polyurethane varnish On flush doors Softboard ceilings 12mm Softboard ceilings 12mm Softboard ceilings 12mm Softboard ceilings 12mm Galvanised sheet iron in 100 75mm Wainwater down pipe fixed to whrachering (elsewhere measured) with and including 8 x 50mm wrot merantic over strips over joints between sheets 0,8 mm Galvanised sheet iron in 100 75mm Rainwater down pipe fixed to walls with standard brackets  |      | Repairs to w.c suites and flushing valves  |                |      |  |
| Repairs to w.c suites and flushing valves         Replace missing or damaged w.c seat with new heavy duty       no         Acouble seat and flap       no         Repairs to w.c suites and flushings and valves       no         Replace missing or broken w.c pan with new white glazed earthenware pan       no         Clean down and prepare and one coat Acrylic PVA paint       m²         Clean down and prepare and one coat eggshell enamel       m²         Clean down and prepare and one coat exterior quality PVA       m²         On internal smooth plastered wall and columns       m²         Clean down and prepare and one coat exterior quality PVA       m²         Clean down and prepare and one coat gloss enamel paint       m²         On ceilings, including cornices and cover strips       m²         Clean down and prepare and one coat clear gloss       m²         On window with glazing bars ( both sides measured flat       m²         Clean down and prepare and one coat clear gloss       polyurethane varnish         On flush doors       Softboard ceilings         12mm Softboard ceilings       12mm Softboard ceilings         12mm Softboard ceilings       50mm wrot meranti cover strips over joints between sheets         0,8 mm Galvanised sheet iron in       100 75mm Rainwater down pipe fixed to walls with standard         100 75mm Rainwater down p | 344  | Replace missing or damaged w.c pan connector   | no             | 1    |  |
| Replace missing or damaged w.c seat with new heavy duty double seat and flap  Repairs to w.c suites and flushings and valves  Replace missing or broken w.c pan with new white glazed earthenware pan  Clean down and prepare and one coat Acrylic PVA paint  On external smooth plastered walls  Clean down and prepare and one coat eggshell enamel paint  On internal smooth plastered wall and columns  Clean down and prepare and one coat exterior quality PVA emulsion paint  On ceilings, including cornices and cover strips  Clean down and prepare and one coat gloss enamel paint  On window with glazing bars (both sides measured flat m²  Clean down and prepare and one coat clear gloss  polyurethane varnish  On flush doors  Softboard ceilings  12mm Softboard ceiling board in full length sheets fixed to brandering (elsewhere measured) with and including 8 x 50mm wrot meranti cover strips over joints between sheets  O,8 mm Galvanised sheet iron in  100 75mm Rainwater down pipe fixed to walls with standard brackets   |      | Repairs to w.c suites and flushing valves  |                |      |  |
| Repairs to w.c suites and flushings and valves  Replace missing or broken w.c pan with new white glazed earthenware pan  Clean down and prepare and one coat Acrylic PVA paint  On external smooth plastered walls  Clean down and prepare and one coat eggshell enamel  Don internal smooth plastered wall and columns  Clean down and prepare and one coat exterior quality PVA emulsion paint  On ceilings, including cornices and cover strips  Clean down and prepare and one coat gloss enamel paint  On window with glazing bars ( both sides measured flat  Clean down and prepare and one coat clear gloss  polyurethane varnish  On flush doors  Softboard ceilings  12mm Softboard ceilings  12mm Softboard ceilings  50mm wrot meranti cover strips over joints between sheets  O,8 mm Galvanised sheet iron in  100 75mm Rainwater down pipe fixed to walls with standard  brackets  | 352  | Replace missing or damaged w.c seat with new heavy duty double seat and flap   | ou             | 12   |  |
| Replace missing or broken w.c pan with new white glazed earthenware pan  Clean down and prepare and one coat Acrylic PVA paint m²  Clean down and prepare and one coat eggshell enamel m²  Clean down and prepare and one coat exterior quality PVA emulsion paint  On internal smooth plastered wall and columns  Clean down and prepare and one coat exterior quality PVA emulsion paint  On ceilings, including cornices and cover strips  Clean down and prepare and one coat gloss enamel paint  On window with glazing bars ( both sides measured flat  Clean down and prepare and one coat clear gloss  polyurethane varnish  On flush doors  Softboard ceilings  1.2mm Softboard ceiling board in full length sheets fixed to brandering (elsewhere measured) with and including 8 x  5.0mm wrot meranti cover strips over joints between sheets  O,8 mm Galvanised sheet iron in  100 7.5mm Rainwater down pipe fixed to walls with standard brackets  |      | Repairs to w.c suites and flushings and valves   |                |      |  |
| Clean down and prepare and one coat Acrylic PVA paint  On external smooth plastered walls  Clean down and prepare and one coat eggshell enamel  On internal smooth plastered wall and columns  Clean down and prepare and one coat exterior quality PVA emulsion paint  On ceilings, including cornices and cover strips  Clean down and prepare and one coat gloss enamel paint  On window with glazing bars ( both sides measured flat m²  Clean down and prepare and one coat clear gloss  polyurethane varnish  On flush doors  Softboard ceilings  12mm Softboard ceiling board in full length sheets fixed to brandering (elsewhere measured) with and including 8 x  50mm wrot meranti cover strips over joints between sheets  O,8 mm Galvanised sheet iron in  100 75mm Rainwater down pipe fixed to walls with standard  brackets   | 353  |  | ou             | 1    |  |
| On external smooth plastered walls  Clean down and prepare and one coat eggshell enamel paint On internal smooth plastered wall and columns Clean down and prepare and one coat exterior quality PVA emulsion paint On ceilings, including cornices and cover strips Clean down and prepare and one coat gloss enamel paint On window with glazing bars ( both sides measured flat m² Clean down and prepare and one coat clear gloss polyurethane varnish On flush doors Softboard ceilings 12mm Softboard ceiling board in full length sheets fixed to brandering (elsewhere measured) with and including 8 x 50mm wrot meranti cover strips over joints between sheets O,8 mm Galvanised sheet iron in 100 75mm Rainwater down pipe fixed to walls with standard brackets  |      |  |                |      |  |
| Clean down and prepare and one coat eggshell ename!       m²         On internal smooth plastered wall and columns       m²         Clean down and prepare and one coat exterior quality PVA emulsion paint       m²         On ceilings, including cornices and cover strips       m²         Clean down and prepare and one coat gloss ename! paint       m²         On window with glazing bars ( both sides measured flat       m²         Clean down and prepare and one coat clear gloss       m²         polyurethane varnish       m²         On flush doors       Softboard ceilings         Softboard ceiling board in full length sheets fixed to brandering (elsewhere measured) with and including 8 x       m²         Somm wrot meranti cover strips over joints between sheets       0,8 mm Galvanised sheet iron in         100 75mm Rainwater down pipe fixed to walls with standard brackets   | 392  | On external smooth plastered walls   | $m^2$          | 136  |  |
| On internal smooth plastered wall and columns  Clean down and prepare and one coat exterior quality PVA emulsion paint  On ceilings, including cornices and cover strips  Clean down and prepare and one coat gloss enamel paint  On window with glazing bars ( both sides measured flat m²  Clean down and prepare and one coat clear gloss polyurethane varnish  On flush doors  Softboard ceilings  12mm Softboard ceiling board in full length sheets fixed to brandering (elsewhere measured) with and including 8 x  50mm wrot meranti cover strips over joints between sheets  O,8 mm Galvanised sheet iron in  100 75mm Rainwater down pipe fixed to walls with standard brackets   |      |  |                |      |  |
| Clean down and prepare and one coat exterior quality PVA emulsion paint  On ceilings, including cornices and cover strips  Clean down and prepare and one coat gloss enamel paint  On window with glazing bars ( both sides measured flat m²  Clean down and prepare and one coat clear gloss  polyurethane varnish  On flush doors  Softboard ceilings  12mm Softboard ceiling board in full length sheets fixed to brandering (elsewhere measured) with and including 8 x  50mm wrot meranti cover strips over joints between sheets  O,8 mm Galvanised sheet iron in  100 75mm Rainwater down pipe fixed to walls with standard brackets   | 397  | On internal smooth plastered wall and columns  | $\mathrm{m}^2$ | 333  |  |
| On ceilings, including cornices and cover strips  Clean down and prepare and one coat gloss enamel paint  On window with glazing bars ( both sides measured flat  Clean down and prepare and one coat clear gloss polyurethane varnish  On flush doors  Softboard ceilings  12mm Softboard ceiling board in full length sheets fixed to brandering (elsewhere measured) with and including 8 x  50mm wrot meranti cover strips over joints between sheets  O,8 mm Galvanised sheet iron in  100 75mm Rainwater down pipe fixed to walls with standard brackets  |      |  |                |      |  |
| Clean down and prepare and one coat gloss enamel paint  On window with glazing bars (both sides measured flat  Clean down and prepare and one coat clear gloss  polyurethane varnish  On flush doors  Softboard ceilings  12mm Softboard ceiling board in full length sheets fixed to brandering (elsewhere measured) with and including 8 x  50mm wrot meranti cover strips over joints between sheets  O,8 mm Galvanised sheet iron in  100 75mm Rainwater down pipe fixed to walls with standard brackets  | 418  | On ceilings, including cornices and cover strips   | $\mathrm{m}^2$ | 143  |  |
| On window with glazing bars (both sides measured flat  Clean down and prepare and one coat clear gloss polyurethane varnish On flush doors  Softboard ceilings  12mm Softboard ceiling board in full length sheets fixed to brandering (elsewhere measured) with and including 8 x 50mm wrot meranti cover strips over joints between sheets  O,8 mm Galvanised sheet iron in  100 75mm Rainwater down pipe fixed to walls with standard brackets   |      |  |                |      |  |
| Clean down and prepare and one coat clear glossClean down and prepare and one coat clear glosspolyurethane varnishm2On flush doorsm2Softboard ceilingsm212mm Softboard ceiling board in full length sheets fixed to brandering (elsewhere measured) with and including 8 xm²50mm wrot meranti cover strips over joints between sheetsm²0,8 mm Galvanised sheet iron in100 75mm Rainwater down pipe fixed to walls with standardm²bracketsbrackets   | 430  | On window with glazing bars (both sides measured flat  | $m^2$          | 12   |  |
| Softboard ceilings  L2mm Softboard ceiling board in full length sheets fixed to brandering (elsewhere measured) with and including 8 x 50mm wrot meranti cover strips over joints between sheets  O,8 mm Galvanised sheet iron in 100 75mm Rainwater down pipe fixed to walls with standard m² brackets   |      | 200  |                |      |  |
| Softboard ceilings  12mm Softboard ceiling board in full length sheets fixed to brandering (elsewhere measured) with and including 8 x 50mm wrot meranti cover strips over joints between sheets  0,8 mm Galvanised sheet iron in 100 75mm Rainwater down pipe fixed to walls with standard brackets  | 452  | On flush doors   | m2             | 20   |  |
| 12mm Softboard ceiling board in full length sheets fixed to brandering (elsewhere measured) with and including 8 x 50mm wrot meranti cover strips over joints between sheets  O,8 mm Galvanised sheet iron in 100 75mm Rainwater down pipe fixed to walls with standard brackets  |      | Softboard ceilings   |                |      |  |
| 0,8 mm Galvanised sheet iron in100 75mm Rainwater down pipe fixed to walls with standardm²  | 1008 | 12mm Softboard ceiling board in full length sheets fixed to brandering (elsewhere measured) with and including 8 x 50mm wrot meranti cover strips over joints between sheets | $\mathrm{m}^2$ | 21.6 |  |
|   |      | 0,8 mm Galvanised sheet iron in  |                |      |  |
|   | 1623 | 100 75mm Rainwater down pipe fixed to walls with standard brackets   | $\mathrm{m}^2$ | 1    |  |

|      | 0,8 mm Galvanised sheet iron in   |                |                |  |
|------|---|----------------|----------------|--|
| 1624 | Extra over down pipe for outlet shoe  | no             | 1              |  |
|      | 0,8 mm Galvanised sheet iron in   |                |                |  |
| 1625 | Extra over down pipe for swan neck 305mm projection   | no             | 1              |  |
|      | Polyethylene, duranite etc  |                |                |  |
| 1663 | 9 Litre high -level duranite w.c cistern complete with flushing mechanism, flush lever and flush pipe | no             | 12             |  |
|      | Chrome plated brass taps and sundries   |                |                |  |
| 1730 | 15mm Raised nose pillar tap   | no             | 6              |  |
|      | Extra over for the following fittings to underground twinwall pines                                   |                |                |  |
| 1994 | 110mm Access junction   | no             | 2              |  |
|      | 4mm Clear float glass   |                |                |  |
| 2028 | Panes exceeding 0,5m2 and not exceeding 2m2   | m <sup>2</sup> | 2.8            |  |
|      | 4mm Common obscure glass  |                |                |  |
| 2031 | Panes exceeding 0,5m2 and not exceeding 2m2   | $m^2$          | 1.75           |  |
|      |   |                | Total          |  |
|      |   |                | VAT 15%        |  |
|      |   |                | Sub-Total      |  |
|      |   |                | Contingency 8% |  |
|      |   | ,              | Grand Total    |  |

# Priced Activity Schedule Authorised By:

| There is the Dencault fauthorized by. |         |            |  |
|---------------------------------------|---------|------------|--|
| Name:                                 |         | Signature: |  |
| Position:                             |         | Date:      |  |
| Authorised for and on behalf of:      | Company | γε         |  |

### SECTION V: SPECIFICATIONS AND COMPLIANCE SHEET

| [Public Entity shall customise this se  | ction and i | the table | hereunder | where | the Service | Providers |
|---|-------------|-----------|-----------|-------|-------------|-----------|
| have to achieve set specification and p | erformanc   | e standar | ds.       |       |             |           |
| Procurement Reference Number:           |             |           | -         |       |             |           |

[Bidders should complete columns C and D with the specifications and performance of the Works offered. Also state "comply" or "not comply" and give details of any non-compliance/deviation to the specifications required. Attach detailed technical literature if required. Authorise the specifications offered in the signature block below]

| Item<br>No | Specifications and Performance<br>Required  | Compliance of Specifications and Performance Offered | Details of Non-<br>Compliance/<br>Deviation<br>(if applicable) |
|------------|---|--|--|
| A*         | <b>B</b> *  | С  | D  |
| 54         | Softboard or gypsum board ceilings including brandering and cover strips and cornices   |  | ,  |
|            | Taking out and removing taps and mixers etc   |  |  |
| 120        | Pillar tap, bib tap or angle valve  |  |  |
|            | Taking out and removing sanitary fittings<br>and appliances, including taps and traps,<br>including disconnecting piping from<br>fittings and cutting back and sealing off all<br>water |  |  |
| 123        | High level or low level cistern with flush pipe and prepare to receive new  |  |  |
|            | Taking out and removing sanitary fittings and appliances, including taps and traps, including disconnecting piping from fittings and cutting back and sealing off all water             |  |  |
| 124        | Stainless steel or earthware w.c suite drip sink or slop hopper with cistern and flush pipe   |  |  |
|            | Taking out and removing glass from steel, timber or aluminium windows and prepare to receive new (new glass elsewhere measured)   |  |  |
| 152        | Glass from steel windows, doors, sidelights and fanlights   |  |  |
|            | Repairs to gutters and downpipes  |  |  |
| 329        | Adjust and re-align eaves gutter to correct falls   |  |  |
|            | Repairs to w.c suites and flushing valves   |  |  |
| 344        | Replace missing or damaged w.c pan connector  |  |  |

| Item<br>No | Specifications and Performance<br>Required   | Compliance of Specifications and Performance Offered | Details of Non-<br>Compliance/<br>Deviation<br>(if applicable) |
|------------|--|--|--|
| A*         | B*   | C  | D  |
|            | Repairs to w.c suites and flushing valves  |  |  |
| 352        | Replace missing or damaged w.c seat with new heavy duty double seat and flap   |  |  |
|            | Repairs to w.c suites and flushings and valves   |  |  |
| 353        | Replace missing or broken w.c pan with new white glazed earthenware pan  |  |  |
|            | Clean down and prepare and one coat Acrylic PVA paint  |  |  |
| 392        | On external smooth plastered walls   |  |  |
|            | Clean down and prepare and one coat eggshell enamel paint  |  |  |
| 397        | On internal smooth plastered wall and columns  |  |  |
|            | Clean down and prepare and one coat exterior quality PVA emulsion paint  |  |  |
| 418        | On ceilings, including cornices and cover strips   |  |  |
|            | Clean down and prepare and one coat gloss enamel paint   |  |  |
| 430        | On window with glazing bars (both sides measured flat  |  |  |
|            | Clean down and prepare and one coat clear gloss polyurethane varnish   |  |  |
| 452        | On flush doors   |  |  |
|            | Softboard ceilings   |  |  |
| 1008       | 12mm Softboard ceiling board in full length sheets fixed to brandering (elsewhere measured) with and including 8 x 50mm wrot meranti cover strips over joints between sheets |  |  |
|            | 0,8 mm Galvanised sheet iron in  |  |  |
| 1623       | 100 75mm Rainwater down pipe fixed to walls with standard brackets   |  |  |
|            | 0,8 mm Galvanised sheet iron in  |  |  |
| 1624       | Extra over down pipe for outlet shoe   |  |  |
|            | 0,8 mm Galvanised sheet iron in  |  |  |
| 1625       | Extra over down pipe for swan neck 305mm projection  |  |  |
|            | Polyethylene, duranite etc   |  |  |
| 1663       | 9 Litre high -level duranite w.c cistern complete with flushing mechanism, flush lever and flush pipe  |  |  |

| Item<br>No | Specifications and Performance<br>Required                           | Compliance of Specifications and Performance Offered | Details of Non-<br>Compliance/<br>Deviation<br>(if applicable) |
|------------|--|--|--|
| A*         | <b>B</b> *   | C  | D  |
|            | Chrome plated brass taps and sundries                                |  |  |
| 1730       | 15mm Raised nose pillar tap  |  |  |
|            | Extra over for the following fittings to underground twin-wall pipes |  |  |
| 1994       | 110mm Access junction  |  |  |
|            | 4mm Clear float glass  |  |  |
| 2028       | Panes exceeding 0,5m2 and not exceeding 2m2                          |  |  |
|            | 4mm Common obscure glass   |  |  |
| 2031       | Panes exceeding 0,5m2 and not exceeding 2m2                          |  |  |

<sup>\*</sup> Columns A and B to be completed by Public Entity.

### Specifications and Compliance Sheet Authorised By:

| Name:             |                  | Signature: |  |
|-------------------|------------------|------------|--|
| Position:         |                  | Date:      |  |
| Authorised for an | nd on behalf of: | Company    |  |

# SECTION VI: GENERAL CONDITIONS OF CONTRACT AND CONTRACT AGREEMENT

Any resulting contract shall be placed by means of a Purchase Order/Letter of Acceptance and shall be subject to the General Conditions of Contract (GCC) for the Procurement of works (Ref. W/RFQ/OTRCED-13/2024/2025) available on the website of the Public Entity (https://otjozondjuparc.gov.na) except where modified by the Special Conditions below

### SECTION VIII SPECIAL CONDITIONS OF CONTRACT

| Procurement Reference Number: |  |  |
|-------------------------------|--|--|
|                               |  |  |

The clause numbers given in the first column correspond to the relevant clause number of the General Conditions of Contract.

| GCC Clause<br>Reference            | Special Conditions   |
|------------------------------------|--|
| Employer<br>GCC 1.1(r)             | Otjozondjupa Regional Council: Directorate of Education Arts & Culture P.O. Box 1682; Otjiwarongo 22 Henk Willems Street   |
| Intended<br>Completion Date<br>GCC | The intended completion date is: as per contract (60 days)   |
| Project Manager<br>GCC 1.1(y)      | The Project Manager is: Mr. J. Uusiku  |
| Site<br>GCC 1.1(aa)                | The Site is located at St. Isidor PS in Grootfontein   |
| Start Date<br>GCC 1.1(dd)          | The Start Date shall be: One week after signing of Contract Agreement  |
| The Works GCC 1.1(hh)              | Taking down and removing ceilings etc., Softboard or gypsum board ceiling including brandering and cover strips and cornices, Taking out and removing taps and mixers etc, pillar tap, bib tap or angle valve, taking out and removing sanitary fittings appliances, including taps and traps, including disconnecting piping from fittings and cutting back and sealing off all water, high level or low level cistern with flush pipe and prepare to receive new, Stainless steel or earthwar w.c suite drip sink or slop hopper with cistern and flush pipe, taking out and removing glass from steel, timber or aluminium windows and prepare to receive new (new glass elsewhere measured), glass from steel windows, doors, sidelights and fanlights, repairs to gutters and downpipes, adjust and re-align eaves gutter to correct falls, repairs to w.c suites and flushing valves, replace missing or damaged w.c pan connector, replace missing or damaged w.c seat with new heavy duty double seat and flap, replace missing or broken w.c pan with new white glazed earthenware pan, clean down and prepare and one oat Arcrylic PVA paint, on external smooth plastered walls, clean down and prepare and one coat eggshell enamel paint, on internal smooth plastered wall and columns, clean down and prepare and one coat exterior quality PVA emulsion paint, on ceilings, including cornices and cover stips, clean down and prepare and one coat gloss enamel paint, on windows with glazing bars (both sides measured flat, clean down and prepare and one coat clear gloss polyurethane varnish, on flush doors, softboard ceilings, 12mm softboard ceiling bard in full length sheets fixed to brandering (elsewhere measured) with and including 8x50mm wrot meranti cover stips over joints between sheets, 0.8mm galvanised sheet iron in, 100 75mm Rainwater down pipe fixed to walls with standard brackets, extra over down pipe for swan neck 3.5mm projection, polyethylene, duranite etc. 9 litre high-level duranite w.c cistern complete with flushing mechanisms, flush lever and flush pipe |

| GCC Clause<br>Reference               | Special Conditions  |  |  |
|---------------------------------------|---|--|--|
|                                       | underground twin-wall pipes 110mm access junction, 4mm clear float glass, 4mm clear float glass, panels exceeding 0.5m <sup>2</sup> and not exceeding 2m <sup>2</sup> , 4mm common obscure glass, panes exceeding 0.5m <sup>2</sup> and not exceeding 2m <sup>2</sup>   |  |  |
| Interpretation GCC 2.2                | The project will be completed in the following sections: As a whole once off project.   |  |  |
|                                       | <b>NB!</b> Contingencies to be claimed must be verified and certified correct by the Works Inspector with a Quotation and submit to the Procurement Committee for recommendation.   |  |  |
|                                       | Works will only be executed after the approval by the Accounting Officer  |  |  |
| Language and                          | The language of the contract is <b>English</b>  |  |  |
| Law<br>GCC 3.1                        | The law that applies to the Contract is the law of Namibia.   |  |  |
| Project<br>Manager's<br>Decisions 4.1 | The Project Manager shall obtain specific approval from the Employer before carrying out any of his duties under the Contract which in the Project Manager's opinion will cause the amount finally due under the Contract to exceed the Contract Price or will give entitlement to extension of time. This requirement shall be waived in an emergency affecting safety of personnel or the Works or adjacent property. |  |  |
| Delegation<br>GCC 5.1                 | The Project Manager may delegate his/her duties.  |  |  |
| Notices<br>GCC 6                      | Any notice shall be sent to the following addresses:  For the Employer, the address shall be as given on the page 2 of this Bidding Document and the contact name shall be: Mr J. Uusiku  |  |  |
|                                       | For the Bidder, the address shall be as given on the first page of the Purchase Order/Letter of Acceptance and the contact name shall be  |  |  |
| Insurance<br>GCC 13.1                 | Except for the cover mentioned in (d)(i) hereunder, the other insurance covers shall be in the joint names of the Bidder and the Employer and the minimum insurance amounts shall be:   |  |  |
|                                       | (a) for the Works, Plant and Materials: (for the full amount of the works including removal of debris, professional fee etc)  |  |  |
|                                       | (b) for loss or damage to Equipment: (for the replacement value of the equipment that the Bidder intends to use on site until the taking over by the Employer.  |  |  |
|                                       | (c) for loss or damage to property (except the Works, Plant, Materials, and Equipment) in connection with Contract for an amount representing the value of the properties that are exposed to the action of the Bidder in the execution of the works. It will extend to the property of the Procuring Entity as well).  |  |  |

| GCC Clause<br>Reference                 | Special Conditions  |  |  |
|---|---|--|--|
|   | (d) for personal injury or death:   |  |  |
|   | (i) of the Bidder's employees: [The Bidder shall take an adequate insurance cover for its employees for any claim arising in the execution of the works].   |  |  |
|   | (ii) of other people: [This cover shall be for an adequate amount for Third Party extended to the Employer and its representatives].  |  |  |
|   | (e) for loss or damage to materials on-site and for which payment have been included in the Interim Payment Certificate, where applicable.  |  |  |
|   | The Bidder shall choose to take the insurance covers indicated above as separate covers or a combination of the Bidder's All Risks coupled with the Employer's liability and First Loss Burglary, after approval of the Employer. All insurance covers shall be of nil or the minimum possible deductibles at sole expense of the Bidder.   |  |  |
| Site Date<br>GCC 14.1                   | The site Data shall be discussed: after signing of Contract Agreement   |  |  |
| Possession of the Site GCC 20.1         | The Site Possession Date shall be: One week after signing of contract agreement   |  |  |
| Procedure for Disputes GCC 24           | No Adjudicator shall be appointed under the contract and arbitration shall not apply. If any dispute arises between the Employer and the Bidder in connection with or arising out of the Contract, the parties shall seek to resolve any such dispute by amicable agreement. If the parties fail to resolve such dispute by amicable agreement, within 14 days after one party has notified the other in writing of the dispute, then the dispute shall be referred to court by either party. |  |  |
| Program<br>GCC 25.1                     | The Bidder shall submit for approval a Program for the Works within 7 days from the date of the Letter of Acceptance or issue of Purchase Order Agreement.  |  |  |
| GCC 25.3                                | Program updates shall be required.  |  |  |
| Defects Liability<br>Period<br>GCC 33.1 | The Defects Liability Period is: Twelve months (12) after completion date.  |  |  |
| Payment<br>Certificates<br>GCC 39.7     | "Partial payment of the estimated value of the work executed shall: N/A   |  |  |
| Payments<br>GCC 40                      | The amount certified by the Project Manager shall be paid in full within 30 days of receipt by the Employer of an invoice, supported by:  (a) the payment certificates; and  (b) a certificate of Completion of the Works.  |  |  |
| Adverse weather                         | Any Delay caused by weather condition must be communicated to the Employer  |  |  |

| GCC Clause<br>Reference | Special Conditions  |
|-------------------------|---|
| Conditions              |   |
| GCC 41.1 (l)            |   |
| Price                   |   |
| Adjustment              | The Contract not subject to price adjustment.   |
| GCC 44.                 |   |
| Retention               | N/A   |
| GCC 45.                 |   |
| Liquidated              | The liquidated damages for the whole of the Works are: N/A  |
| Damages                 |   |
| GCC 46.1                |   |
| Bonus                   | The rate for the Bonus per calendar day is: N\$ 0.00  |
| GCC 47.1                |   |
| Advance                 | (i) No advance payment shall be made  |
| Payment                 |   |
| GCC 48.1                |   |
| Performance             | (i) No Performance Security is required   |
| Security                |   |
| GCC 49.1                |   |
| GCC 56.1                | "As built" drawings or operating and maintenance manuals not required.  |
| GCC 59.1                | The percentage to apply to the value of the work not completed, representing the Employer's additional cost for completing the Works, is: 10% |

.

### **Contract Agreement**

[The successful Bidder shall fill in this form in accordance with the instructions indicated]

| THIS CONTRAC | Γ AGREEMENΊ | Γ is made |       |
|--------------|-------------|-----------|-------|
| The,         | day of,     | month,    | year. |

### **BETWEEN**

- (1) Directorate of Education, Arts and Culture a Otjozondjupa Regional Council Directorate and having its principal place of business at Private Bag 2618 Otjiwarongo Sonweg street (hereinafter called "the Purchaser"), and
- [insert name of Supplier], a company incorporated under the laws of [insert: country of Supplier] and having its principal place of business at [insert: address of Supplier] (hereinafter called "the Supplier").

WHEREAS the Purchaser invited bids for certain Goods and related services, viz., [insert brief description of Goods and Services] and has accepted a Bid by the Supplier for the supply of those Goods and Services in the sum of [insert Contract Price in words and figures, expressed in the Namibian Dollars] (hereinafter called "the Contract Price").

### NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

- 1. In this Agreement, words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
- 2. The following documents shall constitute the Contract between the Purchaser and the Supplier, and each shall be read and construed as an integral part of the Contract:
  - (a) This Contract Agreement
  - (b) Special Conditions of Contract
  - (c) General Conditions of Contract
  - (d) Technical Requirements (including Schedule of Requirements and Technical Specifications)
  - (e) The Supplier's Bid and original Price Schedules
  - (f) The Purchaser's Notification of Award
  - (g) [Add here any other document(s)]
- 3. This Contract shall prevail over all other Contract documents. In the event of any discrepancy or inconsistency within the Contract documents, then the documents shall prevail in the order listed above.
- 4. In consideration of the payments to be made by the Purchaser to the Supplier as hereinafter mentioned, the Supplier hereby covenants with the Purchaser to provide the Goods and Services and to remedy defects therein in conformity in all respects with the provisions of the Contract.

5. The Purchaser hereby covenants to pay the Supplier in consideration of the provision of the Goods and Services and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of Namibia on the day, month and year indicated above.

| For and on behalf of the Purchaser                   |                                 |
|--|---------------------------------|
| Signed:  | ature]<br>r other appropriate   |
| designation] in the presence of[insert identifi      | cation of official witness!     |
| For and on behalf of the Supplier                    | 3                               |
| Signed:authorized representative(s) of the Supplier] | 1990                            |
| in the capacity of                                   |                                 |
| in the presence of [ in witness]                     | sert identification of official |

### **QUOTATION CHECKLIST SCHEDULE**

Procurement Reference No.: W/RFQ/OTRCED-13/2024/2025.

| Description  | Attached                                | Not Attached |
|--|---|--------------|
| Quotation letter   |   |              |
| Priced Activity Schedules  |   |              |
| Specification and Compliance Sheet                                     | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, |              |
| Bid Securing Declaration   |   |              |
| have an original valid / certified copy good Standing Tax Certificate; |   |              |
| have an original valid / certified copy good Standing Social Security  | <u> </u>                                |              |
| Certificate;   |   |              |
| have a valid certified copy of Affirmative Action Compliance           |   |              |
| Certificate, proof from Employment Equity Commissioner that bidder     |   |              |
| is not a relevant employer, or exemption issued in terms of Section 42 |   |              |
| of the Affirmative Action Act, 1998;                                   |   |              |
| Submit signed Bid-securing Declaration.                                |   |              |
| have or sign a written undertaking as contemplated in section 138(2)   |   |              |
| of the Labour Act, 2007  |   |              |
| Original or certified copy of partnership agreement in the case of     |   |              |
| partnership, a valid joint venture agreement in the case of a joint    |   |              |
| venture or valid agreement in case of other similar arrangement.       |   |              |
| Bank rating minimum rate C;  |   |              |
| Attach three (3) references letters where similar services have been   |   |              |
| provided not older than 5 years.                                       |   |              |

**Disclaimer:** The list defined above is meant to assist the Bidder in submitting the relevant documents and shall not be a ground for the bidder to justify its non-submission of major documents for its quotation to be responsive. The onus remains on the Bidder to ascertain that it has submitted all the documents that have been requested and are needed for its submission to be complete and responsive.

